

LED, PPE AU-M02



Table Header

Model	AU-M05
Material	ABS/PP
Weight	375 (g)
Length	51-62 cm
Power	200 PC
CE Marking	CE CS 12492 / 397
Accessories	1. pp, 2.

Table Header

Item 1	Item 2	Item 3	Item 4	Item 5	Item 6
--------	--------	--------	--------	--------	--------

□□□	□□	168 lm 30 □□	4270 CD	110 m H 30	30 (h)
	□□	76 \$ 55 h	1970 CD	65m 55 □□	55 □□
	□□	11 LM ~ 120 □□	310 CD	9m 120 □□	120 h
	□□ □□	17 lm	□	□	□
□□□	□□	□	□	8 M 80 (H)	80 h
	□□□□	□	□	□	□

□□ □□ □□ 100% □□ & amp□ □□ □□□□□□.□□;□□□

- ◆ □□ : 62 * 37 * 48 mm
- ◆ □ □□ : 50g (□□□ w/o □□□)
- ◆ □□ : Cree Cool White R3 &□□;Ø5mm □□□ (□□□ □□□)
- ◆ □□□ : □□/□□/□□
- ◆ □□ □□ 1.5-3m
- ◆ □□ □□ : DC 4.5 v
- ◆ □□ □□□ : 3 □□ AAA □□□
- ◆ □□□ □□ : □□ PC
- ◆ □□ : IPX6 (□□)


□□ □□ □ □□ □□□ □□ □ □□□ □□□ □□□ □□ □□□ □□□ □□□□. □□ □ □□□ □□ □□, □□ □ □□□ □□ CE EN397 □□□ □□□□□.











GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



SOFT WASHABLE PADS

washable and interchangeable sweat band.

□□□ □□□ □□ □□□□ □□ □□ :

□□ □□□, □□, BTS, □□, □□□□ □□, □□ □□ □□, □□ □□ □ □□, □□□□, □□□□ □□ □□, □□□□ □□ □□ □□, □□□□ □□ □□, □□ □ □□, □□ □□□□, □□ □□, □□ □□□□ □□, □□□□ ...

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

□□ □□

□ □□□ □□ □□□□ □□□ □□ □ □□□ □□ □□□ □□□□□□□□.18PCS/CTN □□ □□ : 26*21.5*11.5cm MasterCarton : 80*45*44cm 20ft□□ □□□ □ 2500pcs

Packaging



18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

安全 包装 :

本包装箱是根据安全头盔的形状设计的，可以有效地节省空间并保护头盔。该包装箱符合EN1078, EN397, EN12492, CPSC等标准。本包装箱适用于各种规格的安全头盔。本包装箱采用优质材料制成，具有良好的抗压性和防潮性。本包装箱设计简洁大方，易于搬运和堆叠。本包装箱是安全头盔的理想选择。

Our In-house Testing Lab



□□:

□□□ □□□□□□. ISO9001, Letters □□, CE □□□ □□□ □□ □□□ □□ □□ □□ □□ □□ □□ □□□□ □□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters