□□ □□ LED, □□□ □□□ PPE □□ □□□ AU-M02

□□□ □□ □□ :

□□ □□.	AU-M05
□□ □□:	ABS/PP □□□
□□□ □□:	□□ □ □□ □□
□□□	□□ □□□□□
□□ □□ □□ □ □□	□□ □□□ 4.1 □□ □□
□ □□□	30-35 dB NRR □□ □□□
□□ □□□	PC □□□□ □□□/ PC □□□□ □□/ □ □□
□□	□□□, □□□, □□□, □□, □□□, □□ □, □□, □□□
□□/□□ □ □□	51-62 cm
□ □□	375 (g) (□ □□ ~□□ □□ □□□ □□)
□□□	10 □□ □□ ~□ □□ □□□□/ □□□ □□
□□	□□
□□	CE CS 12492 / 397
□□ □□	3-7 □□□ □□ □
□□	200 PC
□□ □□ □□	1. pp □□, □□ □□, □□ □□, □□ □□ □□□ □□ □□ ~□□ □□□□□.
	2. □□ □□ □□ □□

□□□ □□□ □□ □□□ □□ :

□□	□□ □□	□ □□	□ □□	□ □□	□□□ □□

□□□	□□	168 lm 30 □□	4270 CD	110 m H 30	30 (h)
	□□	76 $ 55 h	1970 CD	65m 55 □□	55 □□
	□□	11 LM ~ 120 □□	310 CD	9m 120 □□	120 h
	□□ □□	17 lm	□	□	□
□□□	□□	□	□	8 M 80 (H)	80 h
	□□□□	□	□	□	□
□□ □□ □□ 100% □□ & amp□ □□ □□□□□□.□□;□□□					

♦ □□ : 62 * 37 * 48 mm
♦ □ □□ : 50g (□□□ w/o □□□)
♦ □□ : Cree Cool White R3 &□□;Ø5mm □□□ (□□□ □□□)
♦ □□□ : □□/□□/□□
♦ □□ □□ 1.5-3m
♦ □□ □□ : DC 4.5 v
♦ □□ □□□ : 3 □□ AAA □□□
♦ □□□ □□ : □□ PC
♦ □□ : IPX6 (□□)

□□ □□ □ □□ □□ □□□ □□ □ □□□ □□□ □□□ □□□□ □□ □□□ □□□ □□□□ □□□□. □□ □ □□□ □□ □□, □□ □ □□□ □□ CE EN397 □□□ □□□□□.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.

QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

NYLON STRAP & CHIN STRAP
Designed to limit risk of
losing helmet during a fall,
side strap-adjustment to assist with a proper fit.

SOFT WASHABLE PADS
washable and interchangable
sweat band.

□□□ □□□ □□ □□□□ □□ □□ :

□□ □□□, □□, BTS, □□, □□□□ □□, □□ □□ □□, □□ □□ □ □□, □□□, □□□ □□ □□, □□□ □□ □□ □□, □□□ □□ □□, □□ □ □□, □□ □□□, □□ □□, □□ □□,□□ □□, □□□ ...

□□ □□

□ □□□ □□ □□□ □□□□ □□□ □□ □ □□□ □□ □□□ □□ □□□ □□□□□□□.18PCS/CTN □□ □□ : 26*21.5*11.5cm MasterCarton : 80*45*44cm 20ft□□ □□□ □ 2500pcs

Packaging

18pcs/ctn
color box:26*21.5*11.5cm
mastercarton: 80*45*44CM
20ft Loadability：2500pcs

The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

□□□ □□ □□□ :

□□ □□□ □□□□ □□ □□□ □□□□□ □□ □□□ □□ □□□ □□□□□ □□□ □□ □□□ □□□□ □□□ □□ □□□ □□□□□!□□□ □□ □□ □□□ □□ EN1078, EN397, EN12492, CPSC □□ □□ □□□□□□□. □□□ □□ □□.□□ □□ □□ □□ □□□ □□□□ □□□ □□ □□□ □□□ □□□□ □□□ □ □ □□□ □□□□□!

□□:

□□□ □□□□□□□. ISO9001, Letters □□, CE □□□ □□□ □□ □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□□ □□□□.

CERTIFICATE / AUTHENTICATION

□□ □□ □□□ □□□ □□□□.

□□ □□□ → PC □□ □□ → PC □□ □□ → □□□ □□ □□ → □□ □□□ □□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□□ → □□ □□ → □□ □ □ → □□ □□ □□ →□□□ □ □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□□□ □□ → □□ □□ → □□ → □□ → □□□ □□□.

Production Procedure

Silk screen

PC blister tooling

PC blister manufacture

Trmming dug hole

Eps raw material by different density

EPS in-mold tooling

Helmet in-mold workshop

In-mold machines

In-mold tooling

In-mold producing process

semi-finished In-mold helmet

IQC inspection

Helmet grinding

Inner padding production

Plastic injection workshop

Assembly line

Inside labeling

Packing

Warehourse

Installed counters