

00.000.000.00 (0) 2012 00 00, 22 0 000 00.

00 0000 0 0 000 00 000 000 00 0000000.

000 00, 0000 00, 00 000 000 000 00 0 00 000 00.  
 OEM ODM 000 0000000. 000 00 0 R & D 0 00 000 00 1 00 00 0000 00000.  
 99% 00 0 000 00 000 000000, 00, 00, 00 00000.  
 00 00 00 0 0 00 000 00 00 00 0 000 000 0000 0000 0 00.  
 0000 0000 000 00 00 0 00 00 00.

**WHY US**



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



 <p><b>QUALITY</b> With strict quality management system and first-class products</p>	 <p><b>OEM&amp;ODM</b> We can provide OEM and ODM service for customers</p>	 <p><b>R&amp;D TEAM</b> With professional and strong technical development team</p>
 <p><b>PRICE</b> We have our own production line, to reduce the price to a minimum</p>	 <p><b>PATENT</b> We constantly introduce patented technology products</p>	 <p><b>SERVICE</b> Perfect after-sales service, so customer satisfaction</p>

00 00 **mtb** 00 :

1. 000 00 00 220 g, 000 000 000
2. 0000 00 00 struction, 00 0000 00 0 00 0 0000 000.
3. 00 00: 000 0 00 00, 00 000 00 00 0 0,
4. 00 PC 00, 00 000 00 0 0 00.

- 5. 鋼 鋼 鋼 EPS 鋼, 鋼 鋼, 鋼 鋼, 鋼 鋼 鋼 鋼 鋼.
- 6. 鋼 鋼 鋼 鋼 鋼, 鋼 鋼, 鋼 鋼 鋼 鋼 PA.
- 7. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.
- 8. 鋼: CE EN1078 鋼 鋼 鋼 鋼

鋼 鋼 鋼 鋼 鋼 鋼

鋼	鋼	(鋼 鋼)
1. 鋼 鋼	鋼 鋼 鋼 鋼 鋼 鋼	鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼, 鋼
2. 鋼 鋼	AU C04	
3. 鋼	EPS 鋼 + PC 鋼 鋼 鋼	EPS 鋼 鋼, EPS + ABS 鋼, 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼
4. 鋼		鋼 鋼; 鋼 鋼 鋼; 鋼 鋼 鋼 鋼
5. 鋼. 鋼	195 g	鋼 pantone 鋼 鋼 鋼
6. 鋼 鋼	XS: (46-50 cm); S/M(51-56cm); M/L(56-61cm)	鋼 鋼 鋼 鋼 鋼 鋼 鋼
7. 鋼	鋼	鋼, 鋼 鋼, 鋼 鋼, 鋼 鋼 鋼.
8. MOQ	1000pcs	
9. 鋼 鋼	65 cm * 57 cm * 46 c m	72 cm * 57 c * 59 cm
10. 鋼	1pcs/ppb/鋼 鋼	10pcs 鋼 鋼 ctn
11. 鋼 鋼	FOB	
12. 鋼 鋼	鋼 鋼 鋼	鋼 鋼 鋼
13. 鋼 鋼	鋼	T/T, 鋼 鋼 鋼, 鋼/C
14. 鋼 鋼	4-7 鋼	鋼 鋼 鋼 鋼 鋼
15. 鋼 鋼 鋼	鋼 20-30 鋼	鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼
16. 鋼	鋼 鋼	鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼 鋼 鋼 鋼 pantone 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.
17. 鋼 鋼	鋼, 鋼, 鋼, 鋼, 鋼	
18. 鋼 鋼 鋼 鋼 鋼	CE EN1078 1. 鋼 鋼 鋼 鋼 鋼 鋼 2. 鋼. 鋼 鋼 鋼 鋼 3. 鋼 鋼 鋼 鋼 鋼 4. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 5. 鋼 鋼 鋼 6. 鋼. 鋼 鋼 鋼	
19. 鋼 鋼 鋼		

鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼:











## Personalized

---

0000, 000 00000 00 & 24 0 000 0 0 000 00 000 00. 000 0 00000 00 00 000 00 00 00 0 000 00 000 000 R & D 0  
00 000 0 00 000 00000 00. 000 00 00000 0 0 00 00 00 00 00, 00 000 00, 00 000 00 0000, 00 00 0000, 0000 0000 00 0  
00 00 0000 0000 0 00000 0000 0000 00 0000 0000 0 00000 00 00 00 0 0 00000 00 00.







NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

## Headform

Headform:

Headform is a model of a human head used for testing helmets.

headform:

headform is a model of a human head used for testing helmets.

headform:

Headform A is considerably longer front-to-back than its side-to-side measurement.

# Helmet Shape 101



European Headform	Intermediate Oval	Asian head form
A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.	An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.	A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

## QC/QA


QC/QA is a process of checking the quality of a product before it is shipped to the customer.



# “Testing Procedures”



The Impact force detected




Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test





### PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



### SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



### 常见问题(FAQ)

#### 1. OEM 是什么意思?

OEM 是指原始设备制造商。在制造业中，OEM 是指那些生产产品但不直接面向消费者的公司。他们通常与零售商或分销商合作。OEM 产品通常与品牌产品相似，但价格较低。OEM 产品通常用于商业用途，如工业设备、汽车零部件等。OEM 产品通常与品牌产品相似，但价格较低。OEM 产品通常用于商业用途，如工业设备、汽车零部件等。

#### 2. ODM 是什么意思?

ODM 是指原始设计制造商。在制造业中，ODM 是指那些设计产品但不直接面向消费者的公司。他们通常与零售商或分销商合作。ODM 产品通常与品牌产品相似，但价格较低。ODM 产品通常用于商业用途，如工业设备、汽车零部件等。

00, 00 000 0 0 0000 00 00 00 000000. 0 5 ~ 6 0000 00 00 00 00 00 00 0 00 0000 0000.

**3. 00 00 00?**

0, 0000 0 00 00 00 00 0 00 0000 0 0 00 0000 0000 00, 0000 00000 0 00 00000 0000 00 0000.

**4. 00 00 00 000000?**

00 0000 0000 00 00 0000 00 0000. 0 00 00 00 0 24 00 0000 0000 0 00 0 0 00 (00 00 0 0 00 00). 00000 0 00 00 00 00 0000 00 0000.

**5. 0000 00 00 00 00?**

a. 0 0000 00 0000 0 0 00 00 00 0000 00, 0000 00 0000

0000 0000 0000 00 0000 00 0000 0000 0 0 0000 0 0 00 00 0000 00 0 000000.

b0000. 00, 00 0000 0 3 0 00 00 0000 00 00 00, 00 0000 00 0 0000 00 00 0000 00 000000. 00 0 0 0000000.

c. 00 0000 0000 00 00 000000, 0000 0000 0000 000000.

0000 00 0000 0000, 00 00000000 00 0 0 0000 VIP 000000 00 0 000000.

**6. 0 0000 0 0 0000 00 00 00 0000?**

0, 0000 0000 00 00 00 0000 0000 0 000000.

**7. 0000 00 00 0000 00?**

1. 00 00, 00 00 DHL, UPS, TNT, 0000 0000000, EMS 0000 0000000. DHL0 0000 0000000. 0000 00 0000 0000 0 0 0000 0 0 0000 00 00 0 000000. 0000 00 0000 00 0000, 0000, 00 000000 00 00 00 00 00 00 00 000000.

B. 0 0 0 00, 00 0000 0000 0000000.

**80000. 00 0000 0000000?**

T/t. 000000000. 0 0 00000000.