

PC 壳 壳 壳 壳 壳 壳 壳 壳 壳



壳 壳

1. 壳 pc 壳, 壳 壳 壳 壳 壳 壳.
2. 壳 壳 eps 壳, 壳 壳 壳, 壳 壳, 壳 壳 壳 壳 壳 壳.
3. 壳 壳 壳 壳, pa 壳 壳, 壳 壳 壳 壳 壳 壳.
4. 壳 壳 壳 壳 壳 壳 壳.
5. 壳 壳 壳 壳 壳 壳 壳 壳 壳 壳 壳, 壳.

壳 壳 壳 壳

|     |         |  |
|-----|---------|--|
| 壳   | 壳       | 壳  |
| 壳 壳 | 壳 壳 壳 壳 | 壳 壳 壳 emt, 壳 壳,壳 壳 壳 壳 壳, 壳 壳 壳 壳, 壳 壳 壳 壳 |

|           |  |                     |
|-----------|--|---------------------|
| □□ □□     | bm28   |                     |
| □□        | pc +□ □□ □□ □□□□ □□ □ □□□ □□ eps, □□□ □ □□ □ itw □□, □□ □□□ □□ |                     |
| □□□□□□    | □□□ □□   | □□ □□□ □□ □□ □ □    |
| □         | □□ pantone □□  | □□ pantone □□       |
| □□        | m/l (58-62 cm)   | □□ □□ □□ □□ □□ □ □□ |
| moq       | 500 pc□ □□ □ □□ □□□ □ □□ 300pcs                                |                     |
| □□ □□     | 73 * 58 * 35cm   |                     |
| □□        | 12pcs/ctn  | 10pcs □□ ctn        |
| □□ □□     | fob  |                     |
| □□ □□     | □□ □□ □□□ □□□  | □□□□□               |
| □□ □□ □□□ | t/t, □□□ □□□, l/c  |                     |
| □□ □□     | 4-7 □  | □□ □□ □□□ □□ □      |
| □□ □□ □□  | 20-30 □  | □□ □□ □□□ □□ □      |
|           |  |                     |

□□ □□ □□









□□□□

## Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg


Package Type: 1PCS/PP bag wth color box, 12 PCS PER BROWN CARTON



# “Testing Procedures”



The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test





Logo style: Dome, Metal, UV-Dart sticker, Water decal..



**QUALITY**  
With strict quality management system and first-class products



**OEM&ODM**  
We can provide OEM and ODM service for customers



**R&D TEAM**  
With professional and strong technical development team



**PRICE**  
We have our own production line, to reduce the price to a minimum



**PATENT**  
We constantly introduce patented technology products



**SERVICE**  
Perfect after-sales service, so customer satisfaction

FAQ

1. OEM/ODM service: We can provide OEM and ODM service for customers.

1. oem service: We can provide OEM service for customers.
2. oem: (1) We can provide OEM service for customers. (2) We can provide OEM service for customers. (3) We can provide OEM service for customers.
3. oem: We can provide OEM service for customers.

FAQ

1. oem service: We can provide OEM service for customers.
2. odm service: We can provide ODM service for customers.
3. oem service: We can provide OEM service for customers.

....., ..... .., .....

4. .... ?

..... 24 ..... (.....) ..... ..

5. .... ?

..... 360 .....

- a. .... , ..... , .....
  - b. .... , ..... 3 .....
  - c. .... , .....
- ..... vip .....

6. .... ?

....., .....

7. .... ?

- a. .... dhl, ups, tnt, .... ems ..... dhl .....
- b. ....

8. .... ?

t/t. ....