

Supplier

1. 2.

1. PC , , .
2. EPS , , , .
3. PA , 3..
4. .

3. 4.

1.		
2.ModelNumber	AU-H0(7)	
3.	ABS + EPS	ITW , headkey - headring.EPS ;
4.Technology		
5.Color	,	pantone
6.Size	S : 50-56CM, M : 55-59CM, L : 58-61CM	
7.Logo	, , , , .	
8. MOQ	500 PCS	300PCS
9.	Size73 * 58 * 35CM	
10.Packing	12PCS / CTN	10PCS CTN
11.Price		
12.Shipping	airexpress	
(13)	PaypalT / T, , L / C	
14.Sample	4~7	
15.Production	20~30	

3. 4.







0000, 0000 00 & A 000; 0 00 24 0 00 00 0000 00 0000 00. 0000 0000 00 00 0000 00 0000 0000 0000 0000 0000 R & A 0
0 0 0 000 0000 0000 0000 0 0 0000 D support.We 0000 00 00 0000 0000 0000 00 0000 00 0000 0000 00, 00 0000
00, 00 0000 00 0000, 00 00 0000, 0000 00, 00 0000 00 00, 0000 0000 00 00 00 0000 00 00 00 0 0 0000.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	


SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

Our products are certified to ISO9001, CE, and other international standards.

CERTIFICATE / AUTHENTICATION



000 00 000 00 0000 00000. 0000 0000 0000 0000 000 0 00000. 00 00 0 A0 000000 00; 0000 00, 0000 00 00 00 & A0 00 0000 00; 0 00 00000. 00 00 00 & A0 0000; 00 00, 0000 00000 0000 00 & A0 00 0 0 00000; assistance.Make 0000 00 0000 00 & A; 00!

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



15 15 R & A, D ,