

00 00

00 00.	AU-B091 OEM 00 00 00
00	In-mold EPS 000 & PC 0
00	CE, CPSC,
00	24 00 00
00	Pantone
00 / 00 00	M (55-58cm) L (58-61cm)
00	190 g
00 00	3-7 0
00 00 00	2000pcs
00 00 00	00 00 00, 1000pcs 00 0000 00 0000 00

00:









NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

						STRAP BUCKLE
-114	-36	-107	-07	-106	-01	
-113	-104	-117	-115	-116	-00	
-112	-111	-109				

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

00.00.0

00 000 :

000 000 000 0000 000 000 00 000 000 00 000 0000000. 0000000.

00 00 0 :

0000 00 0 000 00 00 000 000 00 0000 0000 00 0 000 0000 000 00 0000000.

000 00 0 :

00 000 000 000 00 000 00 000000 00000 0000 0000 000000000 000 000 000000.

# Helmet Shape 101



## European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

## Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.


00.000.0

0000 00000 00 0000 0000000 0 0000 00 0000 0000000 0000 00 0000 00000 00 00 0000 000000! 0000 00 00 0000 00000 EN1078, EN397, EN12492, CPSC 0 0000 00 0000 00 000000000. 00 00 00 0 3 0 0000 00000 0000 00 0000 0000 0000000. 0000 0 00 0000000!

# “Testing Procedures”



The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test





## PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



## SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



Aurora Sports 15 年 的 經 驗 和 研 究 開 發 能 為 您 提 供 最 好 的 服 務 和 最 快 的 交 貨 時 間。 我 們 的 研 究 開 發 部 門 能 為 您 提 供 最 好 的 服 務 和 最 快 的 交 貨 時 間。 我 們 的 研 究 開 發 部 門 能 為 您 提 供 最 好 的 服 務 和 最 快 的 交 貨 時 間。

我 們 的 研 究 開 發 部 門 能 為 您 提 供 最 好 的 服 務 和 最 快 的 交 貨 時 間。 我 們 的 研 究 開 發 部 門 能 為 您 提 供 最 好 的 服 務 和 最 快 的 交 貨 時 間。 我 們 的 研 究 開 發 部 門 能 為 您 提 供 最 好 的 服 務 和 最 快 的 交 貨 時 間。

