


	h07
	bs + eps, pu
	pu
	17
	52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
	pantone
	3-7
moq	500 pc
	9 PCs/ 32 * 53.5 67.5 CM

INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.



UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT

Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.




It is a progressive adjusting system that allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.



FRIENDLY DESIGN FOR WOMEN PONYTAIL

Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

It is a breathable and wicking material that allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.



ONE PIECE ANTIBACTERIAL INNER PADDING

Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.















□□ □□

□□ □ □□: 9 pc □□ □□

□□□ □□: □□ □□: 67 * * 31.5 52.5 CM

□ □□: 4.80 kg

□□□ □□: 1pc/PP □ □ wth □□ □□, □□ □□□□ 9 DC

□□ □□□ □□ **r**□□ □ □□□ □□:

□□ □□ □□:

□□□ □□ □□□ □□ □ □□□ □□ □□□ □□ □□□ □□ □□□□ □□.

headform□ □□:

□□□□ □□ □□□ □□ □□□ □□ □□ □□□ □□ □ □□□ □□ □□□ □□ □□□ □□.

□□□ □□ □□:

□□□ □□□ □□□ □□ □□ concerably □□, □□□ □□ □□□ □□□ □□ □□□ □□ □□□□ □□ □□□.



Our In-house Testing Lab



□□:

0000 0000 0000 00: ISO9001, 0000 0 00, 0 0 0000 00, 0000 00 0 0 0 0000 0000 0000 00 0000 00 0 00 0000 0000 0000

CERTIFICATE / AUTHENTICATION



□□ □□□ □□□□ □□ □□:

□□ □□ → PC □□ □□ → PC □□□ □□ → □□□ □□□ □□ → EPS □□ □□□□ □□ □□ → □□ □□ EPS → □□□□ □□□ □□ → □□□ □□ → □□ □ → □□□ □□ □□ → □ □□ □ □□□ □□ → iqc □□ → □□, □□ → □□□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□□□ □□ → □□ → □ □□ □□□.



□ □□□ □□ □□□□?

-□□□ □□ □□□ □□ □□□

□: □□□ □□ □□ □ □□□ □□□□

oem □ odm: □□□ □□□ □□ □□□ ODM □□□□ □□ □ □ □□□□

□□ □ □□ □: □□□ □ □□ □□□□ □□□ □□□

□□: □□□ □□□ □□□ □□□ □□□□. □□□□ tion, □□ □□□ □□ □

□□: □□□ □□□□ □□ □□□ □□□ □□ □□□

□□□: □□ □ □□ □ □□□, □□□ □□

Turn your idea into a custom concrete product!



11:11

internatioanl 00, 00 00 & 00 000 00000 00 00 00 0 00! 0000 0000 0000 00 0000 0000 0000 0 00 0000 00 0000 0000 0 0 0000 00! 00 0000 00 00 00 0 0000 0000 00 00 00, 00 00 00 0000 0000 00 00 00 00 00! 0000 00, 0000 00 0000 0000 00 00 00 00 0 0000!

11

