□□□ □□ □□ □□ □ □□ □□ □□ □□ □ □□ □□ □ **AU-E06**

2017 Newest Expected Streamlined Horse Riding Helmet
Noble Respected Women & Men's Choice

VG1 Certificate
Size：S; M; L
Weight：450g

EXCELLENCE

www.helmetsupplier.com

□ □ □ □□ □□□ □□ □□:

□□□:

- □□□ □ □□□ □□□:□ □□□□ □□, □□□□ □□ □□-□□□□, □□□ □□□□, □□□□ □ □□ □□.
- □□ □□□ □□ □□□ eco □□ □ □ bs □□.
- □□□ □□ EPS □□□ □□, □□ □ □□□ □ □ (EPS)□□ □□ □ □, □□ □ □□□ □□□ □□□ □ □ □ □□ □□.

□□□

- □□□ □ □□, □□ □□□ □□□ □□ □□ □□ □ □□ □□ □□□ (shel □□□ □□)
- □□ □ □□, □□ □ □□□□ □□ □□ □ □□ □□□ □□□ □□ □□ □□
- □□ □ □ □□□ □□□ □□ □□□ □□□ □□□ poppers□ □ □□ □□
- □□ □□; □□□; □□□ □□ □ □ □□

□□

- □□ □□ □□□□ □□ □□□ □□ □□ □ □□ □□ □□□□ □□□□ □□□□□
- □□ □□□□ □□ □□ □□□ □□ □□□ □□ □ □□
- □□□ □□□ □□□□□ □□ □□□ □□ □□□ □□□ □□□ □□ □□□ □□□ □ □ □□□ □□□ □□ □□□.

□□□

- □□ □□ □ □□□ □□ □□□ □□ □ □ □

□□ □□□□

- □□ □□□ □□□ PU □□ □ □□
- □ □□□ □□□ □□
- □□ □□ □□□ □□

□□:

- CE EN1384, VG1 □□ □□□ □ □ □□.

□□□□□ □□ □□□ □□□:

□□ □□□.	E06 □□□ □□ □□
□□	bs □□ + □□□□ □□ eps, □□□ □ □□ □□ □□ □ □□ □ □□ □□ □ □□□
□□ □□	□□□□, □□, pu □□
□□	VG1 □ CE
□□/□□ □□ □□□ □□	xxl-s (51-55 cm); S-M (55-57 cm); M-L (57-59 cm); L-XL (59-61 cm)
□	□□□ □ □□□□□ □□ □ □ □□ □
□ □	□ □
□□ □□	3-7 □□ □□
moq	500 pc
□□ □□	□□ □□□: □ □□ □□ □ □ □□
	□□ □□□: 9 pc □□ □□ □□ □□: * 32 * 53.5 67.5 c m

□□ □□ □□□□ □□ □□:

□□ □□□

□□ □ □□: 9 pc □□ □□
□□□ □□: □□ □□: 70.5 * 31.5 * 55.5 c m
□ □□: 480 ± 50g
□□□ □□: 1pc/PP □ □ wth □□ □□, □□□ □□□□ 9 DC

□□ □□□ □□:

□□ □□ □□:
□□□ □□□ □□□ □□ □□ □ □□□□ □□□ □□□ □□ □□ □□□□□ □□□□ □□.

□□ □□□ □□:
□□□□ □□ □□□ □□ □□□ □□ □□ □□ □□□ □□□□ □ □ □□□ □□□ □□□ □□ □□□ □□.

□□□ □□ □□:
□□□ □□□ □□□□ □□□ □□□□ □□□ □□□ □□, □□□ □□□□ □□□ □□ □□□□□ □□ □□ □.

□□□ □□□ □□□:

□□ □□□ □□□□ □□ □ □□□ □□ □□ □□ □□□ □□□ □□ □□□□, □□□ □□□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□□ □□□ □□ □□! □□□ □□ □ □□ □□ □□□□ EN1078, EN397, EN12492, EN1384, VG1 psc, □□ □□, □□□ □□ □□ □□□. □□□ □□□ □□ □□ □□ □□ □□ □□ □□□□ □□□□, □□□ □□ □□□ □□ □ □ □□□ □□□ □□!

□□:

□□□ □□□ □□□: ISO9001, □□□ □ □□, □ □ □□□ □□, □□□ □□ □ □ □ □□□ □□□ □□□ □□ □□ □□□ □□ □□ □ □□ □□□ □□□ □□□, □□

CERTIFICATE / AUTHENTICATION

□ □□□□ □□ □□□?

□□**:** □□□ □□ □□ □ □□□ □□□□
OEM□ odm: □□□ □□□ □□ OEM□ odm □□□□ □□□ □ □□
□□ □ □□ □**:** □□□□□ □□ □□□□ □□□ □□□
□□**:** □□□ □□□ □□□ □□□ □□.□□□, □□ □□□ □□ □
□□**:** □□□ □□□□□ □□ □□□ □□□ □□ □ □ □□□□
□□□: □□ □ □□ □ □□□, □□□ □□

WHY US

QUALITY

With strict quality management system and first-class products

OEM&ODM

We can provide OEM and ODM service for customers

R&D TEAM

With professional and strong technical development team

PRICE

We have our own production line, to reduce the price to a minimum

PATENT

We constantly introduce patented technology products

SERVICE

Perfect after-sales service, so customer satisfaction

□□□ □□ □□ □□□□□ 24 □ □□ □□□ □□□ □□□ □□ □□ □□□ □□□□ □ □ □□□, □□□ □□□ □□ □□□, □□□ □□□ □□□ □□□ □□ □ □ □□□ □ □□ □□ □□□ □ □□ □□□ □ □□, □□ □□□ □□□□ □□□ □□□ □□, □□□ 3d □□□□ □□□ □ □□ □□□ □□ □ □ □□.

Turn your idea into a custom concrete product!



□□ □□:

□□, □□ □□ & □□ □□□ □□□□ □□ □□ □□ □ □□! □□□ □□□ □□□ □□ □□□ □□□ □□□ □ □□ □□□ □□ □□ □□□ □ □ □□□□! □□ □□□ □□ □□ □□ □ □□□ □, □□ □□ □□ □□□ □□□ □□ □□ □□□ □□ □□ □□□ □□ □□! □□□ □□ □□□□, □□ □□□ □□ □□ □ □ □□ □ □□!

SHIPPING