

□□□□ □□ □□□□ □□, ISU □ □ □ □ □ □ **AU-L001**

Counterfeit Carbon Fiber
Ice speed skating helmet with ASTM certificate.



Double in-mold
CE Certificated

Welcome to inquire



Website: <http://www.aurorasport.com>

請 參 閱 下 列 參 數 表 :

序 號	參 數
1. 序 號	參 數
2. 序 號	AU-L001
3. 序 號	PC + EPS
4. 序 號	色 號 pantone 色 號
5. 序 號	L (56-61 CM)
6. 序 號	面 料 材 質, 內 襯 材 質, 內 襯 色 號
7. MIN	300 PCS
8. Packate 材 質	PP 材 質, 內 襯 材 質 + 12 個 內 襯 色 號 / CTN
9. 面 料 材 質	面 料 材 質
面 料 材 質 (10)	面 料 材 質 參 數 表 參 閱
11. 面 料 材 質	面 料 材 質, T / T, 面 料 材 質
面 料 材 質 11 參 數 表, 內 襯 材 質 參 閱	4~7
13. 面 料 材 質	面 料 材 質


請 參 閱 下 列 參 數 表 參 閱 :





VENTILATION SYSTEM

Small vents design, it can keep warm but with the aerodynamic efficiency.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



□ □□ □□ □□ □□ □□□□ □□ :

□□ **Headform :**

□□□□ □□□ □□□ □□ □□□□ □□□□ □□□ □□ □□□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□□ □□ □ □□□ □□□□ □□ □□ □□□□□□□.

Headform :

Headform is considerably different from the human head.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Headform :

Headform is considerably different from the human head (head, neck, face) and is designed to fit the head, neck, face, and ears.

Our In-house Testing Lab



□□:

□□□ □□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

SHIPPING

