



Seven color ways







📄 [📄 📄 📄 📄 📄](#):

📄 📄	AU-L002
📄	- 📄 EPS 📄 & A; PC 📄
📄 📄	📄, 📄 PC 📄 📄 📄
📄	ASTM / ISU
📄	8 📄
📄	📄, 📄 📄
📄 / 📄 📄	S / M : 54-58cm
📄	225g
📄 📄	7 📄
MOQ	300PCS
📄 📄 📄	PP 📄 + 📄 📄 📄 📄 + mastercarton

📄 📄 📄 📄 📄 📄 📄:





Headform :

Headform is used to test the helmet's performance in various conditions.

GENERIC headform :

Generic headform is used to test the helmet's performance in various conditions.

Headform :

Headform is used to test the helmet's performance in various conditions.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □ :

Our In-house Testing Lab



Our In-house Testing Lab



Our testing lab is equipped with state-of-the-art machinery, ensuring precise and reliable results. We adhere to international standards & A quality systems; our commitment to excellence is unwavering. Contact us today to learn more about our services!

Our certifications: ISO9001, CE mark, and other industry standards.

CERTIFICATE



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□. □□□ □□□ □□□ □□□ □□□ □□□□. □□ □□ □□ □□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □□□□; assistance.Make □□□ □□ □□□ □□ & A; □□!

SHIPPING



Internatioanl 00000, 0000 & A; 00 000 0 000 00 0 000! 000 000 000 & A 000 00 00 000 000 0 0000; 000 000 00 00 000 00 0000!
000 00 00 00 00 & A0 0000 000 00; 00 0000, 000 00 000 0000 000 00 000 000 000! 000 00, 00 00 000 0000 00 0000!