

















## Packaging

Quantity: 12 pieces

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Contents: 1PCS/PP with padding, 12 PC







□□ □□ □□ □□ □□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □□□□ □□□ □ □ □□ □□□□□ □□.

# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □:

□□ □□□ □□ (□□, □□ □□□, □□ □□ □.... ) □□□ □□ □□□□□ □□□ □□□ □□□ □□, □□□ □□ □ □□ □□ □□ □□ □□ □□□.

## Our In-house Testing Lab



☐☐:

☐☐☐ ☐☐☐ ☐☐☐: ☐☐☐ ISO9001, ☐☐ ☐☐, CE ☐☐, ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐





# CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□:

□□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□ → □□ □□ → □ □  
 □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □ □ → □□□□  
 □ □□□□.



# Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□:

□□, □□□ □□□□ □□ □ □□ □ □□□□: DHL, TNT, UPS, □□□ □□□□□, EMS □□ □□□ □... □□ □□ □□□ □ □□□□.

# SHIPPING

