

□□□□ □□, □□ □□ □□□ Kaykak □□



□□ □□□□ □□□ □□ :

- □□□□ EVA □□ □□□
- □ □□ □□
- □□□□ □□□ □□ □□
- 11 □□ □□ □□□
- □□□□ □□

鞋面 鞋面 鞋面 鞋面

鞋面, 鞋面 S / M, M / L

鞋面 鞋面.	AU-K010 鞋面 鞋面 鞋面
鞋面	ABS + EVA 鞋面
鞋面	CE EN 1385
鞋面	鞋面, 鞋面
鞋面	S / M, M / L
鞋面	300 鞋面
鞋面 鞋面	鞋面 - 鞋面

鞋面 鞋面 :

鞋面 鞋面 鞋面 鞋面 鞋面 鞋面
 鞋面 鞋面 鞋面 鞋面 鞋面
 鞋面 鞋面 鞋面 鞋面 鞋面 鞋面

鞋面 鞋面 鞋面 鞋面 鞋面 :















BMX 00 0000 00 00 00 :

00 Headform :

0000 0000 000 00 00000 00000 0000 00 000000000 0000 0000.

00 headform :

00000 headform 00 00 00 0000 0000 0000 0000 0000 000 00 000000000.

0000 headform :

00000 00 condierably 0 0000 0000 0000 00 000000000 0000 0000 00 00.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

Helmet Size Chart :

Helmet size chart is a chart that shows the relationship between helmet size and head size. It is used to help riders choose the right size helmet for their head. The chart is usually presented in a table format, with helmet size on the left and head size on the right. The head size is usually measured in centimeters (cm) or inches (in). The helmet size is usually measured in centimeters (cm) or inches (in). The chart is usually presented in a table format, with helmet size on the left and head size on the right. The head size is usually measured in centimeters (cm) or inches (in). The helmet size is usually measured in centimeters (cm) or inches (in).

[illegible]

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



客户想法概述：

客户想法概述 → PC 壳 → PC 壳 → 客户想法概述 → 客户想法概述 EPS → EPS 壳 → 客户想法概述 → 客户想法概述 → - 客户想法概述 → 客户想法概述 → IQC 壳 → 客户想法概述 → 客户想法概述 → 客户想法概述 → 客户想法概述 → 客户想法概述 → 客户想法概述 → 客户想法概述。



Eps raw material
by different density



In-mold producing process



Plastic injection workshop



Installed counters

00 000000, 00000 0 00 0000 0 0000 00 0 0 00000! 0000 0000 0000 00 0000 00 00 0000 0000 0 00000 0 0000 0000 00 00 0000 0
 000000! 0000 00 0000 00 0000 00000 0000 00 0000 0000 0000, 00 00 00 0 00 000000 00000 0000 00! 0000 00, 00 00 0000 00
 00 00 00000!

11

