



Iron mesh faceshield
EN 1731



EN 166
ANSI Z87.1



Noiseproof earmuff
EN 352-3:2002



New deve loped clear visor
EN266



Versatile LED headlight 3A
EN 61547:2009



Versatile LED headlight 1A
EN 55015: 2006

□□ □□ □□ □□:

















:

□□, □ □, BTS□, □□, □□ □□□ □□, □□□□ □□ , □□ □□ □ □□, □□□, □□□□ □□ □□, □□□ □□ □□, □□□ □□, □□&□□, □□ □□□, □□ □□□□, □□ □□, □□ ...




Safety Helmet




Tree Care



Construction



Rock Climbing



Caving



Work-at-height



Sea Rescue

00/00 000 00 00 00:

00 00 00:

000 000 000 0000 000 00 00000000 000 000 0000. 00000 00.

00 00 00:c

00 000 000 00 00000 00 0000 00 0 0 0000 00 00000 000 00 00000000.

0000 00 00:

00 000 000 00000 0000 00 000000000 0000 00 000000. 00000000 000000.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Page 10 of 10

00 0000 0000 00 0000 0000 0000 00 0000 0000! 0000 0000 00 0000 00 0000 000000 000000 00 0000 00 0
 0 0000 0000 0000 0000! 00 0000 0000 00 00 00 0000 0 000000 0000 0000 0000 00 0000 0000 0000 0 0000 0000 0 00000.
 0300 00!

[illegible]

1



Aurora Sports 於 2015 年開始研發。R&D Aurora Sports 於 2016 年開始。

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

00 00:

0000, 0000, 0000 00 0000 0 000 0 0000! 000 00 00 000 00 0 000 000 00 00000000! 000 00 000 00 00 0 00 000 000 000000, 000 00 000 000 00 000 0000 00 000 000! 000 000000 000 00 0000 0000 00 00 0000!

SHIPPING

