

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.


- 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
- 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
- 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
- 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

| | |
|--------------------------------|---|
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | h07 |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | bs + eps, 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 17 |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | xxs-S (51-55cm); S-M (55-57cm); M-L (57-59cm); L-XL (59-61cm) |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | pantone |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 7-15 |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 500 pc |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. |
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. | 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. |

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

hekmet



UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT

Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.

[illegible]



FRIENDLY DESIGN FOR WOMEN PONYTAIL

Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.

Our helmet is made of **breathable** material, with **wicking** properties. It is designed to keep you cool and dry during your ride. The helmet is also equipped with a **one piece antibacterial inner padding** for added comfort and hygiene.



ONE PIECE ANTIBACTERIAL INNER PADDING

Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.



Our helmet is made of **breathable** material, with **wicking** properties. It is designed to keep you cool and dry during your ride. The helmet is also equipped with a **one piece antibacterial inner padding** for added comfort and hygiene. We are **ODM** and can provide you with the best quality helmet at the lowest price.



Central flat space for logo labeling, it will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.



Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.









11 11

□□ □ □□: 9 pc □□ □□

□□□ □□: □□ □□: 67 * * 31.5 52.5 CM

□ □□: 4.80 kg

□□□ □□: 1pc/PP □ □ wth □□ □□, □□ □□□□ 9 DC

□□ □□□ □□ **r**□□ □ □□□ □□:

Page 10 of 10

000 00 000 00 00 0 000 00 000 000 00 000 00 0000 00.

headform ☐ ☐:

□□□□ □□ □□□ □□ □□□ □□ □□ □□ □□□ □□□□ □ □□□ □□ □□□ □□□ □□□ □□ □□□ □□.

Page 10 of 10

concerably, the more the more the more the more.



| | | | |
|----------------------|----------------------|----------------------|---|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | : |
| <input type="text"/> | <input type="text"/> | <input type="text"/> | : |

00 000 0000 00 0 000 00 00 000 000 00 0000, 000 000 000 000 000 00 000 00 00 000 0000 000 00 00! 000 00 0 00 00 0000 EN1078, EN397, EN12492, EN1384, VG1 cpsc, 00 00, 000 00 00 000. 000 00 00 00 000 00 0 00 000 000 00, 00 000 00 0 0 000 00 000 00 0000!



11

[illegible]

CERTIFICATE / AUTHENTICATION



□□ □□□ □□□□ □□ □□:

□□ □□ → PC □□ □□ → PC □□□ □□ → □□□ □□□ □□ → EPS □□ □□□□ □□ □□ → □□ □□ EPS → □□□□ □□□ □□ → □□□ □□ → □□ □ → □□□ □□ □□ → □ □□ □ □□□ □□ → iqc □□ → □□, □□ → □□□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□□□ □□ → □□ → □ □□ □ □□□.



□ □□□ □□ □□□□?

-□□□ □□ □□□ □□ □□□

□: □□□ □□ □□ □ □□□ □□□□

oem □ odm: □□□ □□□ □□ □□□ ODM □□□□ □□ □ □ □ □□□□

□□ □ □□ □: □□□ □ □□ □□□□ □□□ □□□

□□: □□□ □□□ □□□ □□□ □□□□. □□□□ tion, □□ □□□ □□ □

□□: □□□ □□□□ □□ □□□ □□□ □□ □□□

□□□: □□ □ □□ □ □□□, □□□ □□

11

