

shimmer

AU-H07 :

- AU-H07, ABS, EPS.
- ABS.
- EPS.
- Certification : CE EN1384, VG1 ASTM

:

Model	AU-H07.
Material	ABS + EPS
Color	White, Black, Grey
Standard	CE EN1384, VG1 ASTM.
Size / Weight	Size: 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
Weight	Lightweight, easy to carry
Material	ABS
MOQ	3-7. pcs
MOQ	520pcs.
Package	9 PCS / CARTON. Size: * 32 * 53.5 67.5 cm.

AU-H07:









000 000000 00 000 0000 00

000000 00 0000 0000 000 0000 000 0000 000 000 000 0 FT0 0000 3 00 00 0000 00 0 0000 000 0000 0000 0000 0000 0000.



UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT

Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.



Il sistema di regolazione progressiva

permette di regolare il casco in modo perfetto e user-friendly, garantendo il vantaggio cruciale in termini di sicurezza e comfort del portatore con 3 prestazioni funzionali.

Il casco è dotato di un sistema di regolazione progressiva.



ADVANCED MASS VENTILATION SYSTEM

Aerodynamic ventilation channels provide high standards of cooling airflow, taking away the hot air of the inner fabrics to improve the rider's physiological comfort.



UtilitySuni Protection.

UtilitySuni Protection is a helmet designed for utility riders. It features a wide peak for sun protection and is equipped with ABS injection for added safety. The helmet is designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.




UTILITY SUN PROTECTION

Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.

00 00 00

0 000 000 00 00 0000000 000 000 000 00 00000 000 00 00000000.



INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.

Packagaing 00

00 0 00 : 9 0 / 00

0000 00 : 00 00 : 67 * * 31.5 52.5 cm

0 00 : 4.80kg.

00 00 : 1pc / pp 00 Wth 00 00, 00 00000 9 DC

00 0000 00 00 00 00000000 0000 00 :

00 00 00 :

0000 0000 00 0000 0000 0000 00 00000000. 00000000.

00 00 00 :

00 00 0000 0000 0000 00 00 00000 00 0 0000 0000 00 0000 0000 00000000.

0000 00 0 :

0000 0000 000000 0000000 0000 0000 00 00000000. 0000 00 000000.



0000 0000 0000 :

0000 00000 00 0000 0000 00 0000 00 0000 000000000, 0000 00 0000 00 0000 00000 00 00 0000 000000! 0000 00 00 0000 00000 EN1078, EN397, EN12492, EN1384, VG1 CPSC, 0000 00 00 00 0 3 0 00 00000 00 0000 00000 0000 0000 00000000. 00 00!

Our In-house Testing Lab



□□:

□□ □□ □□□□□□ : ISO9001, □□ □□ □□, CE □□ □□ □□□, □□ □□ □□ □□□ □□ □□□, □□ □□ □□ □ □□ □□ □□ □ □□ □□□ □ □□□□.

CERTIFICATE / AUTHENTICATION



□□ □□ □□ □□ □□□□□.

□□ □□ → PC □□ □□ → PC □□□□ □□ → □□□□ □□□□□□ → EPS □□ □□ □□ □□ □□ → □□ □□□□ EPS. → □□□□ □□□□ □□ → □□ □□□□
 → □□ □□ → □□□□ □□ □□ → □□□□ □□□□ □□ → IQC □□ → □□, □□□□ → □□□□ □□ □□ → □□□□ □□ □□□□ → □□ □□ → □□ □□ → □□ →
 □□ → □□□□ □□.



□□□□□□□□