

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



QUALITY
With strict quality management system and first-class products



OEM&ODM
We can provide OEM and ODM service for customers



R&D TEAM
With professional and strong technical development team



PRICE
We have our own production line, to reduce the price to a minimum



PATENT
We constantly introduce patented technology products



SERVICE
Perfect after-sales service, so customer satisfaction

MTB 227g 2200 2200 :

1. 227g 2200, 2200 2200,
2. 2200 2200 2200 2200 2200, 2200 2200, 2200 2200 2200
3. 2200 2200 : 2200 2200 2200 2200,
4. - 2200 2200 : 2200 2200 2200, 2200 2200 2200,
5. 2200 PC
6. 2200 EPS 2200 2200 2200,

MTB 鋼盔 規格 說明 :

材質 : PC

內襯 : EPS

尺寸 : L : 58-62CM;

重量 : 227g,

顏色 : 黑色

說明 : Headring 鋼絲網, 鋼絲網 鋼絲, PA 鋼絲 鋼絲 鋼絲.

MTB 鋼盔 規格 說明 :

- 1.Thicken PC 鋼, 鋼絲網 鋼絲 鋼絲網.
2. 內襯 鋼絲網 EPS 鋼絲, 鋼絲, 鋼絲, 鋼絲網 鋼絲 鋼絲網.
- 3.with 鋼絲網 鋼絲, PA 鋼絲, 鋼絲
- 4.Lining 鋼絲網 鋼絲 鋼絲網 鋼絲網 鋼絲網.

鋼	鋼絲	鋼絲
1. 鋼絲	鋼絲網 鋼絲 鋼絲網	鋼絲網 鋼絲, 鋼絲網 鋼絲, 鋼絲網 鋼絲, 鋼絲網 鋼絲, 鋼絲網 鋼絲,
2.Model 鋼	B01	
3.Material	EPS 鋼絲 + PC 鋼	EPS 鋼絲 鋼絲, EPS 鋼絲 + PC 鋼 inmould 鋼絲, 鋼絲網 鋼絲 鋼絲
4.Visor	鋼絲網 鋼絲	鋼絲網 鋼絲網 鋼絲網 鋼絲網
5.Color	鋼絲網 鋼絲	鋼絲 pantone 鋼絲
6.Size	S / M : 54-58cm, L / XL 58-62cm	鋼絲網 鋼絲 鋼絲網 鋼絲
7.Logo	鋼絲	鋼絲網 鋼絲網 鋼絲網
8.MOQ	200 鋼	
9.Carton 鋼	65cm * 57cm * 46cm	72cm * 57cm * 59cm
10.Packing	1PCS / PPB / 鋼絲網	10PCS 鋼絲網 CTN
11.Price 鋼	鋼絲網	
12.Shipping 鋼	鋼絲網 鋼絲網 鋼絲網	鋼絲網
13.Payment 鋼	鋼絲網	T / T, 鋼絲網 鋼絲網, L / C
14.Sample 鋼	4~7 鋼	鋼絲網 鋼絲網 鋼絲網 鋼絲網
15.Production 鋼絲網	20~30 鋼	鋼絲網 鋼絲網 鋼絲網 鋼絲網.

MTB 鋼盔 規格 說明 :





Personized □□

□□□ □□□ □□□ □□, □□□□ □□ □□ □□ □□□ □□□□ □□□ □ □□ □□ □□□ *accpet* □ □ □□□□.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

Headform

ISO / DIS 6220 defines three headform types: 22, 23 and 24. LIMAR, SCOTT and other brands, however, .., headform type is 90% ..

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.



PRO. Q.C. SYSTEMS
Asia – Europe – America


e-mail: technical@proqc.com.hk
<http://www.proqc.info>

Final Inspection Report		No.: GZHG1302003863CE		
RESULTS				
Based upon the results presented, the inspected lot is judged to have been:	PASS	REJECTED	PENDING	
	√			
INSPECTION CHECK POINTS				
	CHECK POINTS	OK	NOK	COMMENTS
1	PACKING	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
Rating labels stuck on the unit	√			
Production date on the EPS liner	√			

“Testing Procedures”



The Impact force detected




Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



□□□□ □□

1. □□□ OEM □□□□ □□□□□?

□□ □ □□□ □□ □□□ □□ □□ □□ □□ OEM □□□ □□ □□□□□□ □□ □ □□. □□□ □□ □ □□ □□, □□□ □□□ □□□ □□ □□□ □□ □ □□□□ □□□□□. □□ □□ □□□ R & A; D □□, □□ □□□□ □□□ □□□□□ □□, □□□ R & A, D □□ □□□□ □□□ □ □□□□ □□ □□□ □□ □□ □□ □□ □□ □□ □□□□□.

2. □□□ ODM □□□□ □□□□□?

□, □□ □□□ □□□ □□□□□ □□, □□□□□ □□□□□ 20 % □□□ □□ □□□ □□ □□□□□ □□. 15 ~ 20 □□ □□ □□ □□ □□□□

