

2) 安全面罩 面罩 面罩 面罩 faceshield: Earmuff 耳罩 耳罩, Faceshield 面罩.

3) 安全面罩 面罩 面罩 面罩 面罩 面罩 面罩 面罩 earmuff: 耳罩 耳罩 耳罩 耳罩, Earmuff 耳罩 耳罩.



SAFETY HELMET



Helmet accessories available

Safety helmet with LED light.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black

Led light headlamp led light



Safety helmet with ear protection and mesh faceshield

AU-M02 white
Red
Yellow
Orange
Blue
Green
black

earmuff good sound insulation
faceshield iron mesh



Safety helmet with plastic visor

The set is compatible with our special visor and earmuff.

AU-M02 white
Red
Yellow
Orange
Blue
Green
black

Visor plastic with eye protection
earmuff good sound insulation





QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.



GETTING THE RIGHT FIT

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.





NYLON STRAP & CHIN STRAP

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



SOFT WASHABLE PADS

washable and interchangeable sweat band.



PLASTIC CLIPS FOR LED HEADLAMP

ABS material, very easy to hold the lamp.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection



00 0000 00 000 00:

00 00,0 00,BTS 0,00 00,0000 00,00 00 0000 000 00, 000, 000 000 00,000 00 00 00,000 00,00 0 00,00 000,00 0 0,00 00,000...

Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

□□□ □□:

□□ □ □□: 12 □ □□/□□

□□□ □□: 73 X 58 X 35 cm

□ □□: 6.50 kg

□□□ □□: 1PCS/PP □□ wth □□ □□, □□ □□ □ 12 PC

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg

Package Type: 1PCS/PP bag wth color box, 12 PCS PER BROWN CARTON



□□ □□□ □□□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □ □□□□ □□□ □ □ □□ □□□□□ □□.

Our In-house Testing Lab



Our testing lab is ISO9001, CE certified, and fully equipped with state-of-the-art testing equipment.

CERTIFICATE



00 00

000 000 000 00 000 000 00 00 15 0 00 00 00 00000. 00 00 0 R & D 0 00 00, 000 000 00 0 00 0 00 0 0 0000
00 0000 0 000 00 00 00000 00 0 0000.

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□:

□□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ EPS □□ → EPS □ □ □ □ → □□ □ □ □□ → □□ □□ → □ □ □ □ → □□ □□ □□ → □□ □ □ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□ □□ □□ □□ → □□ □□ → □□ □□ → □□ → □ □ → □□ □ □□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□:

□□ □□□□, □□ □□ □ □□□ □□ □□ □ □□ □ □□! □□□□ □□□□ □□ □□□□ □□□ □ □□□□ & □□□□ □□ □□ □□□ □ □□□□ □! □□□□ □□ □□ □□□□ □□□□ □□□□ □□, □□□□ □□ □□□□ □□ □□ □□□□ □□□□! □□ □□ □□ □□ □□□□ □□ □□ □□ □□ □□

SHIPPING

