



**Nine color ways**



# HELMETS

**AU-M02**  
Safety helmet | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.  
ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

- WHITE
- RED
- YELLOW
- ORANGE
- GREEN
- BLUE
- BLACK
- GREY
- PINK



**Safety helmet**  
Work at height | electrician | intakes

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material:  
Aluminum  
Nylon

**Helmet specification**  
Norm: EN 397  
Outer shell: PP, Polypropylene  
Size: universal 51-62cm headform  
Weight: (without ear defenders or visor):375g  
Attachment of headlamps: nylon clips  
Color: white/red/yellow/orange/green/blue/black/grey/pink



□□ □□.	AU-M02 □ □□ □□
□□ □□	ABS / PP □□
□□□ □□	PU □□ □□□, □□□ □□□ □□ □□
□□□□	□□ □□□□□□
□□ □□ □□ □□	□□ □□□ 4.1 □□ □□
□ □□	30-35dB NRR □□ □□□□
□□ □□□	PC □□□□ □□ / PC □□□□ □□/ □ □□
□ □	□□, □□, □□, □□, □□□, □□, □□□□, □□
□□ / □□ □ □□	51-62cm
□ □□	375 (□) (□ Muffs□ □□ □□ □□ □ □□□ □□)
□□□□	(10) □□ □□ □ □□□□/ □□□ □□
□□ □□	□□
□□	CE CS 12492 / 397
□□ □□	3-7 □ □
□□ □□	□□□ □ □ □□, □□ □□ □□, □ □□ □□ □□□□, □□ ITW □□, □□-□□□□ □□□□
□□ □□	1. PP □□, □□ □□, □ □□□ □□, □ □ □□ □ □□ □□ □□ □□□□.
	2. □□ □□ □□ □ □□

□□□ □□ □□□□:

1) LED light accessories: headlamp.

2) Ear protection accessories: earmuffs, earplugs.

3) Safety helmet accessories: safety helmet with LED light, safety helmet with ear protection and mesh faceshield, safety helmet with plastic visor.



## SAFETY HELMET



## Helmet accessories available

Safety helmet with LED light.

AU-M02 white  
Red  
Yellow  
Orange  
Blue  
Green  
black  
Led light headlamp led light



Safety helmet with ear protection and mesh faceshield

AU-M02 white  
Red  
Yellow  
Orange  
Blue  
Green  
black  
 earmuff good sound insulation  
 faceshield iron mesh



Safety helmet with plastic visor  
The set is compatible with our special visor and earmuff.

AU-M02 white  
Red  
Yellow  
Orange  
Blue  
Green  
black  
 Visor plastic with eye protection  
 earmuff good sound insulation



Quick-Release Buckle Adjuster:

Adjusts the helmet size to fit the user's head.




## **QUICK-RELEASE RATCHET ADJUSTER**

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

RAVO (RAVO):

headform ISO / DIS 6220 90 % fitting rate.



## **GETTING THE RIGHT FIT**

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



Nylon strap & chin; (hook) strap:

Side strap-adjustment to assist with a proper fit.



### **NYLON STRAP & CHIN STRAP**

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Washable:

Side strap-adjustment to assist with a proper fit.



### **SOFT WASHABLE PADS**

washable and interchangeable sweat band.

ABS material, very easy to hold the lamp.

LED: 10000mAh battery, 10000mAh battery.



### **PLASTIC CLIPS FOR LED HEADLAMP**

ABS material, very easy to hold the lamp.

耳罩 (耳罩) (耳罩)armuff 耳罩 ND 耳罩:

CE NRR 28dB, 耳罩 耳罩 耳罩 耳罩 耳罩 耳罩 耳罩 耳罩.



### SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB  
Stainless mesh face shield  
Full face protection



耳罩 耳罩 耳罩:

耳罩 耳罩 耳罩, BTS, 耳罩, 耳罩 耳罩 耳罩 耳罩 耳罩, 耳罩, 耳罩 耳罩 耳罩 耳罩 耳罩 耳罩 耳罩 耳罩, 耳罩 耳罩...

# Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

□□□ : □□

□□ □ □□ : 12□ PC / □□

□□ □□ : 73 X 58 X 35cm

□□□ : 6.50 kg

□□□□ □□ : 1PC / PP □□ WTH □□ □□□, 12 □□ □□ □□



# Our In-house Testing Lab



□□ □□ :

□□□ □□ □□□ □□□ □□ :

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.

# Production Procedure

