

LED 燈 罩 材 質 選 擇 PP 燈 罩 材 質 選 擇 [LED 燈 罩]

燈 罩 材 質 選 擇 要 點 :

- 10 年 以 上 經 驗 1. 選 擇.
2. PU 燈 罩 材 質, 選 擇 經 驗 豐 富.
3. 燈 罩 材 質 : 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富, 選 擇 經 驗.
4. '4 年 以 上 經 驗 選 擇 + PP 燈 罩.
6. 燈 罩 材 質 : 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富; 選 擇 經 驗 豐 富; 選 擇 經 驗 豐 富.
7. 燈 罩 : CE-CPSC-ASTM-AS / NZS-TUV-EN397 燈 罩 材 質 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富. CE 燈 罩 材 質 選 擇 經 驗 豐 富 AU-M02 燈 罩 材 質 選 擇 經 驗 豐 富, CPSC 燈 罩 材 質 選 擇 經 驗 豐 富.

燈 罩 材 質

1. 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富.
2. 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富.
- 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富, PA 燈 罩 材 質 選 擇 經 驗 豐 富 3..
4. 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富.
5. 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富, BTS 燈 罩 材 質 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富 suitbale 燈 罩 材 質 選 擇 經 驗 豐 富. 選 擇 經 驗 豐 富 的 燈 罩 材 質 選 擇 經 驗 豐 富, 選 擇 經 驗 豐 富.







MICRO DIAL ADJUSTMENT

Quick release headinging system,
made by Nylon material.



SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB
Stainless mesh face shield
Full face protection





Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

Helmet accessories available

aurora helmet with plastic visor
The set is compatible with our special visor and earmuff.

AU-M02	white
	Red
	Yellow
	Orange
	Blue
	Green
	black
Visor	plastic with eye protection
earmuff	good sound insulation



aurora helmet with LED light.

AU-M02	white
	Red
	Yellow
	Orange
	Blue
	Green
	black
Led light	headlamp led light



aurora helmet with ear protection and mesh faceshield

AU-M02	white
	Red
	Yellow
	Orange
	Blue
	Green
	black
earmuff	good sound insulation
faceshield	iron mesh



Area of application safety helmets



□□

□	□□eature	□□ □□
1. □□ □□	□□ □□ □□	□□□□ □□ □□ □□.
□.□□ □□	AU-M02	
3. □□	PP □ + □□□□ □□□	□□ □□, □□□ □ □ □ ITW □□, □ □□ □□ □□□, □□ □□□ □□□□□□ □ □□ □□ □ □□ PP □ + '4 □□□□ □□□□ □□ □□. □ □□□ □□ □□ □ □; □ □□ □□; □□ □□ □□
4.Certificate	EN 397	
(5).□	□□ □□ □ □□□ □□□ □□□ □□□	□□ pantone □□
6.Size	M (51-62CM)	□□ □□ □□ □ □□□ □□
7.Logo	□□□□ □□, □□ □ □, □ □□ □	
8.MOQ	(500)□	□ □□ 300PCS □□ □□
9.Carton □□	73 * 58 * 35CM	
10.Packing	12PCS	10PCS □□□ CTN
(11).□□ □□	□□OB	
12.ShippingMethod	□□ □□ □□□ □□	□□□
13.Payment □□	□□□ T / T, □□ □ □□□, L / C	
14.Sample □□	4~7□	□□□ □□ □□ □□□□□ □

15. Production 00 0	20~300	0000 00 00 0000 0 0, 00 00 0000 00
---------------------	--------	------------------------------------

00 0000 00 00 :

	00 00.	AU-HP1
00	00	ABS + PC
	0	0000, 00, 0000, 00, 00, 00, 0000..
	00	PC
	0000	0000 00 0000
	00	0000 00 00
	0000	00 00
	0000	1 * AA 000000 0000
00 00	0000	00 XP-G (6500K)
	00	0 * (5) mm 0000 00
	0000 LED 00	100000 00
	00	DC 1.5 V
	00 00	100lumens / 8 00
	0000 00	6 00 / (60) 00
	00	IPX6
	00 00	1.5M
00	00 00	10 * 7 * 6 (cm) / PC
	00 00	40 * 11 * 30 (cm) / 25pcs
	00 00	41 * 44 * 32 (cm) / 100PCS
	GW (0 00 00)	80g-100g
	00 00 GW	9kg-11kg

00 00 00			
00 :	00 (00)	00 (m)	00 (00)
0000 00	(100)	(114)	8
0000 00	(42)	69	(18)
0000 - 00	6	(24)	(60)
0000 0000	(10)	NA	NA
00 - 00	NA	(5)	(80)
0000 0000	NA	NA	NA

