

□□ □□

□□□	□□□ □□ □□□ □ □□ LED □□□□-□□
□□ □□	AU-BH12
□□	- □□ EPS □□□ & A; PC □
□□	CE EN 1078
□□ / □□ □□	M / L58-62cm
□□	18 □□
□□	245g
□	PANTONE
□□ □□	3-7 □□ □
MOQ	□□ anallergic □□, □□ □□ □□□ □□ □□□, □ □□ □□ □□□, □□-□□□□-□□□□ □□□ □□□□
□□ □□ □□	1.PP □□, PE □□, □□ □□, □□ □□ □ □□□ □□ □□□□ □□□□□□.
□□□ □ :	□□□ □□□ 1. □□ □□
	2. □□ □□□□
	□ □□ □□□ □□ 3. □□ □□
	4. □□□□ □ □□ □□
	□□ 5. □□ □□
	□□ 6. □□.

[□□□□□□□□□□](#) □□ :











padding, chin strap & A padding; it is 24 inches long and is made of a soft, comfortable material. The padding is made of a soft, comfortable material. The padding is made of a soft, comfortable material.

Headform

Headform :

The headform is a model of a human head used for testing helmets. It is made of a soft, comfortable material. The headform is made of a soft, comfortable material.

headform :

The headform is a model of a human head used for testing helmets. It is made of a soft, comfortable material. The headform is made of a soft, comfortable material.

headform :

The headform is a model of a human head used for testing helmets. It is made of a soft, comfortable material. The headform is made of a soft, comfortable material.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

EN 1078

EN 1078 is a standard for motorcycle helmets designed for riders with European headforms. It specifies requirements for impact protection, retention, and other safety features. Helmets certified to EN 1078 are suitable for use in Europe and other regions that follow this standard. Other standards include EN 397 (industrial safety), EN 12492 (off-road), CPSC (US consumer product safety), and A2 (off-road). Always check the manufacturer's instructions and the helmet's certification for proper use.

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

CERTIFICATE / AUTHENTICATION



000 00 000 00 0000 00000. 0000 0000 0000 0000 0000 0 0000. 00 00 0 A0 000000 00; 0000 00, 0000 00 00 00 &
 A0 00 0000 00; 0 00 0000. 00 00 00 & A0 000; 00 0000 0000 0000 00 & A0 00 0 0 0000, 00 00 00 0000 00;
 assistance.Make 0000 00 0000 00 & A; 00!



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



Payment terms are T/T, Western Union or Paypal, 3-15 working days since payment receipt (based on actual quantity). We accept R & A, D/P, and T/T before production. Tracking No. will be sent to you after delivery. And you will get every important shipping status by email.

We accept T/T, Western Union or Paypal, 3-15 working days since payment receipt (based on actual quantity). We accept R & A, D/P, and T/T before production. Tracking No. will be sent to you after delivery. And you will get every important shipping status by email.