



## Product Display



Seven color ways



Personalized ☐☐

☐☐ ☐☐ ☐☐ ☐☐, ☐☐☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ ☐☐☐☐ *accpet* ☐☐ ☐☐☐☐.









NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						


BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

00 00

00 00	0000 00 0000 0000 00 0000 AU-L002
00	- 00 EPS 0000 & A; PC 0
00 00	00, 0 PC 00 00
00	ASTM / ISU
00	8 00
0	00
00 / 00 00	M / L (54-58CM); L / XL (58-62)
00	250g
00 00	3-7 00 0
00 00 00	2000PCS 0000 0000 00 0000 0000 00
00 00 00	00 00 0000 1000PCS 00 0000 0000 00

0000 0000 00 0000 000000 0000 00 00 :







### **SOFT WASHABLE PADS**

Ergonomic interior padding for comfort and durability





## Headform

ISO / DIS 6220 22 LIMAR, SCOTT, headform 90 %.

# Helmet Shape 101



### European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

### Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

### Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

QC / QA



**PRO. Q.C. SYSTEMS**  
Asia – Europe – America

e-mail: [technical@proqc.com.hk](mailto:technical@proqc.com.hk)  
<http://www.proqc.info>

<b>Final Inspection Report</b>		<b>No.: GZHG1302003863CE</b>		
<b>RESULTS</b>				
<b>Based upon the results presented, the inspected lot is judged to have been:</b>	<b>PASS</b>	<b>REJECTED</b>	<b>PENDING</b>	
	√			
<b>INSPECTION CHECK POINTS</b>				
	<b>CHECK POINTS</b>	<b>OK</b>	<b>NOK</b>	<b>COMMENTS</b>
<b>1</b>	<b>PACKING</b>	√		
1.1	Export carton size	√		
1.2	Export carton CBM	√		
1.3	Carton Gross Weight	√		
1.4	Carton Net Weight	√		
1.5	Quantity per export carton	√	12	
1.6	Unit packing. The unit is put in a pp bag and then packed in the color box.	√		
1.7	Color box printing, with logo	√		
	Model number	√		
	Product feature in Italian/Spanish/English	√		
	CE mark	√		
	Warning mark	√		
	Manual	√		
	Made in China label	√		
	EAN barcode.	√		
	Is a barcode scanner available? (YES/NO)	√		
Rating labels stuck on the unit	√			
Production date on the EPS liner	√			

# “Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test









