



000

|                |                                 |
|----------------|---------------------------------|
| 00             | 0000 PP + HD 00000 00 00 00     |
| OUTER SHELL    | PP 0000 00 00 00                |
| INNER SHELL    | HD 00000 00 00 00               |
| 000            | PE 00000 00 00 00               |
| UNIVERSAL SIZE | 00 51-62CM 00 00 00             |
| NET WEIGHT     | 375g (0000 0 Muffs00 0000 0000) |
| 00             | EN 397 (00 00 00)               |
| 00 00 000      | 0000 6.6 00 00 00               |
| 00 000         | 0 & A; A; 00 00 00 000          |

00 00 00



Black color



White



Navy blue pantone 7689 C



Pink pantone 806



Red pantone 185 C



Lime green pantone 375 C



Yellow pantone 3965 U



Orange pantone 165 C



Grey pantone 432 C

## Comfortable fit with various heads



VERY GOOD!!



### QUICK-RELEASE RATCHET ADJUSTER

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

## Helmet Shape 101



**European Headform**  
An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



**Generic headform**  
A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



**Asian headform**  
A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



### SLOT FOR EARMUFF AND MASK

CE standard ear protector ,NRR 28DB  
Stainless mesh face shield  
Full face protection







# Accessories



## EARMUFF

The durable shell of earmuff is made out of high impact resistant ABS material. The extra soft ear cushions provide you maximum seal, comfort and complete hearing protection. It is suitable for people who work in the high noisy workplace.

Conform to the standard :  
**CE** EN 352-3:2002.  
 Certified by:  
**INSPEC** **CE** 0194



## FACE SHIELD

this face shield is fitted for safety helmets, and it is widely used in cutting , grinding, building and mechanical industry. the raw material with UV protection is imported from Bayer Company of Germany. 1mm and 1.5mm thickness is available for you.

Conform to the standard :  
 ANSI Z87.1-2003  
 CSA Z94.3-07  
**CE** EN 166:2002-04  
 Certified by:  
  **CE** 0194



## FACE SHIELD

Iron mesh face shield provides great protection for head, face and hearing. Easy to install or install.

Conform to the standard :  
**CE** EN 1731:2006F  
 ANSI Z87.1-2003  
 Certified by:  
 **INSPEC** **CE** 0194

# Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking



**PRO. Q.C. SYSTEMS**  
Asia – Europe – America

e-mail: [technical@proqc.com.hk](mailto:technical@proqc.com.hk)  
<http://www.proqc.info>

| <b>Final Inspection Report</b>   |   | <b>No.: GZHG1302003863CE</b> |                |                 |
|--|---|------------------------------|----------------|-----------------|
| <b>RESULTS</b>   |   |                              |                |                 |
| <b>Based upon the results presented, the inspected lot is judged to have been:</b> | <b>PASS</b>   | <b>REJECTED</b>              | <b>PENDING</b> |                 |
|  | √   |                              |                |                 |
| <b>INSPECTION CHECK POINTS</b>   |   |                              |                |                 |
|  | <b>CHECK POINTS</b>   | <b>OK</b>                    | <b>NOK</b>     | <b>COMMENTS</b> |
| 1  | <b>PACKING</b>  | √                            |                |                 |
| 1.1  | Export carton size  | √                            |                |                 |
| 1.2  | Export carton CBM   | √                            |                |                 |
| 1.3  | Carton Gross Weight   | √                            |                |                 |
| 1.4  | Carton Net Weight   | √                            |                |                 |
| 1.5  | Quantity per export carton  | √                            | 12             |                 |
| 1.6  | Unit packing. The unit is put in a pp bag and then packed in the color box. | √                            |                |                 |
| 1.7  | Color box printing, with logo   | √                            |                |                 |
|  | Model number  | √                            |                |                 |
|  | Product feature in Italian/Spanish/English                                  | √                            |                |                 |
|  | CE mark   | √                            |                |                 |
|  | Warning mark  | √                            |                |                 |
|  | Manual  | √                            |                |                 |
|  | Made in China label   | √                            |                |                 |
|  | EAN barcode.  | √                            |                |                 |
|  | Is a barcode scanner available? (YES/NO)                                    | √                            |                |                 |
| Rating labels stuck on the unit  | √   |                              |                |                 |
| Production date on the EPS liner   | √   |                              |                |                 |





# “Testing Procedures”



The Impact force detected



Field of Vision Testing

Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

### PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



### SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.





18pcs/ctn  
color box: 26\*21.5\*11.5cm  
mastercarton: 80\*45\*44CM  
20ft Loadability: 2500pcs



The pack box was designed especially for safety helmet which can be greatly to save the space and protect the helmet.

## headform

selon ISO / DIS 6220, 22 LIMAR, SCOTT, --other, 100 (80) headform, 100 (90) headform.





360 00 0000 0000-0000 :

A. 00 00 0 00 0 00 00 0000 00, 0000 00000

00 00 000 000 00000 2015 000 00 00 EN397 00 00 00, 000 000 00 00000 00 000-00000 000 000 0 0 000.

A. 0000 00, 000 000 0000 00 000 000 00 0 000 00 0 , 00 00 000 0000 00 00 000 00, 000 00 0 00 00.

00. 000 000 0000 00 00, 000 000 000 00 0000.

000 00 000 000, 00 000 0000 000 VIP 0000 00 0 0000.

0 000 00 00 000 0 0 6.?

0, 00 000 000 000 00 000 000 00 0 0 0000.

7. 00000 00 000 00000?

A. 00 000 00, 000 DHL, UPS, TNT, 000, EMS 00 000 00000. DHL 000 00000. 000 000 000 aussi 0000 000 00 00 0 0 0000. aussi 000 0000 000 00000 00 0000 00 000 00, 000 000 0000 0000.

B. 000 000 00, 0000 000 00000.

8. 00 000 00000?

T / T. 000. 000 000.