








## **QUICK-RELEASE RATCHET ADJUSTER**

New and proprietary Up-N-Down size adjustment system provides the most precise and comfortable fit.

(G)Etting T RRAVO (F)

headform ISO/DIS 6220 90% fitting rate.



## **GETTING THE RIGHT FIT**

The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.



Nylon 66 & (C) 66

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.



### **NYLON STRAP & CHIN STRAP**

Designed to limit risk of losing helmet during a fall, side strap-adjustment to assist with a proper fit.



Washable PPE

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.



### **SOFT WASHABLE PADS**

washable and interchangeable sweat band.

POSSIBLE TO USE LED LIGHTS

ABS MATERIAL, VERY EASY TO HOLD THE LAMP.



### **PLASTIC CLIPS FOR LED HEADLAMP**

ABS material, very easy to hold the lamp.



# Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining



Offshore oil and gas



Plumber



Cable car maintenance



Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking

Model: H100 H100

Material: 12 Pc H100 H100

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Package: 1pc/PP box with manual, 12 pcs per box



# Our In-house Testing Lab



□□ □□:

□□□ □□ □□□ □□:

1. 原料 → PC 原料 → PC 原料 → 原料 → 原料 → EPS 原料 → EPS-原料 → 原料 → 原料 → 原料  
 2. 原料 → 原料 → IQC 原料 → 原料, 原料 → 原料  
 3. 原料

# Production Procedure




Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters