

oem odm [□□□](#) [□□](#) [□□□□](#) [□□](#) [□□](#)



[□](#) [□□](#) [□□](#) [□□](#) [□□](#) [□□](#):

1. .□□-□ □□: □□□□ □□, □□□ □□□ □□, □□ □□ □ □ □ □,
2. □□□ pc □□, □□□ □□□□ □□ □ □□□□.
3. □□□ □□ eps □□, □□□ □ □□, □□ □□, □□ □ □□ □□□ □□ □□□□.
4. 360 ° □□ □□ □□, □□□ □ □ □ □ □□ □□, □□□ □□□ □□□ □□ □□ □□ □□ □.
5. □□□ □□ □ & □□□ pp □□□□ □□□, □ □□□ □□ □ □□ □ □□ & □□ □□□□ □□ □□□ □□□ □□ □□ □□. □□ □□□, □□□ □□□ □□ □□ □ □ □□, □ □□□ □ □□ □□ & □□□ □ □□ □ □□□ □□.

☐☐ ☐☐ ☐☐☐☐ ☐☐:

☐☐ ☐☐	au-S08 ☐☐☐☐ ☐☐☐☐
☐☐	☐☐☐ eps ☐☐☐☐ & pc ☐
☐☐	ce en1078
☐☐☐☐	5 ☐☐☐☐☐☐☐☐
☐	☐☐☐☐, ☐☐☐☐☐☐☐☐☐☐
☐☐☐☐/☐☐☐☐☐☐	m: 56-58cm, l (58-62 c m)
☐☐	450g
☐☐☐☐☐☐	7 ☐☐
moq	300pcs
☐☐☐☐☐☐☐☐☐☐	pp ☐☐☐ + ☐☐☐☐☐☐☐☐☐☐☐☐ + ☐☐☐☐☐☐☐☐

☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐:







❑ ❶ ❷ ❸ ❹ ❺ ❻:

❶ ❷ ❸:

❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿.

❶ ❷ ❸:

❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿.

❶ ❷ ❸:

❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

❑ ❶ ❷ ❸ ❹ ❺ ❻:

❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾ ❿ ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿ & ⓫ ⓬ ⓭ ⓮ ⓯ ⓰ ⓱ ⓲ ⓳ ⓴ ⓵ ⓶ ⓷ ⓸ ⓹ ⓺ ⓻ ⓼ ⓽ ⓾ ⓿!



□□:

□□□ □□□□ □□: □□□ iso9001, □□ □□, □ □ □□□ □□, □□□ □ □□□ □□□ □□ □□□ □□ □□ □ □□□ □□ □□ □□□ □□□ □□ □□ □□

CERTIFICATE



品質保證

本公司設有品質保證部，負責產品品質 15 年品質保證。本公司 r&d 部門負責產品品質保證，確保產品品質優良。

CUSTOMIZE FOR BRAND




Logo style: Dome, Metal, UV-Dart sticker, Water decal.



00 00 0000 0000 00 00:

00 000 → pc 00 00 00 → pc 00 00 → 0000 00 00 → 00 00000 0000 eps 00 → eps 0 00 0 0 → 00 0 00 0000 → 0 00 0
0 → 0 00 0 0 → 0 00 00 00 → 00-00 0000 00 → iq 00 → 00 00 → 00 00 00 → 00000 00 0000 → 00 00 → 00 0000 → 0
0 → 0 → 00 0 0000000.

Production Procedure



□ □□:

□ □□ □□□ □□□□:

-□□: □□□ □□ □□ □□□ □ □□ □□

-oem & odm: □□□ □□□ □□ oem □ odm □□□□ □□□ □ □□□□

-r & d □: □□□□ □□□□ □□ □□□

-□□: □□□ □□□ □□□ □□ □□□, □□□□□ □□□ □□ □□□ □□□ □□

-□□: □□□ □□□□ □□ □□ □□ □□

-□□□: □□ □ □□ □ □□□, □□□□ □□ □□



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

公司优势:

本公司, 拥有 & 研发团队 专业 & 强大! 我们拥有自己的生产线, 可以降低价格到最低! 我们拥有自己的生产工厂, 所以我们可以提供完美的售后服务, 所以客户满意度!

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

