

00 000 0000 00 00 00 22 0 000 00, 2012 0 00.

00 000 000 00 000 00 000 000 00.

000 00, 0000 00, 00 000 000 000 00 0 00 00 000 00 0 0000.
 OEM 0 ODM 000 000. 000 00 0 R & A, D 00 00 000 00 0 00 0000 000000.
 99 % 0 0 000 00 000 00, 00, 00, 00 000
 000 000 00 0000 0000 0000 00 000 00000 00 0000 00 00000.
 000 00000 0000 00 0 0000 00 0000 00.

WHY US



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



QUALITY
 With strict quality management system and first-class products



OEM&ODM
 We can provide OEM and ODM service for customers



R&D TEAM
 With professional and strong technical development team



PRICE
 We have our own production line, to reduce the price to a minimum



PATENT
 We constantly introduce patented technology products



SERVICE
 Perfect after-sales service, so customer satisfaction

00 00 0000 00 :

1. 0 00 000000 220g, 000 000 000 0,
2. 00 00 00 struction, 00 0000 000 000 0000 000.
3. - 00 00 : 000 0 0000 00, 00 00 00 0 0,
4. Thicken PC 0, 00 0000 00 0 000.

5. 鋼 鋼 鋼 EPS 鋼, 鋼, 鋼, 鋼鋼 鋼鋼 鋼鋼.

6.with 鋼 鋼鋼鋼 鋼, PA 鋼, 鋼 鋼, 鋼 鋼鋼.

7.Lining 鋼 鋼 鋼 鋼鋼 鋼鋼 鋼鋼.

8. 鋼 : CE-EN1078 鋼 鋼鋼鋼鋼 鋼,

鋼 鋼鋼-鋼-鋼:

鋼	鋼鋼	鋼 鋼
1. 鋼 鋼	鋼 鋼鋼 鋼鋼 鋼鋼 鋼	鋼鋼 鋼, 鋼鋼 鋼, 鋼 鋼鋼 鋼, 鋼 鋼鋼 鋼, 鋼 鋼鋼 鋼, 鋼鋼 鋼鋼 鋼,
2.Model 鋼	AU-C04	
3.Material	鋼 鋼鋼 EPS 鋼鋼 + PC 鋼	EPS 鋼 鋼, EPS 鋼 + ABS 鋼, 鋼 鋼鋼 鋼 鋼 鋼 鋼 鋼; 鋼 鋼 鋼; 鋼 鋼 鋼, 鋼 pantone 鋼
4. 鋼		
5. 鋼	195g	
6.Head 鋼	XS (46-50cm) S / M (51-56cm), M 鋼 / L (56-61cm)	鋼 鋼 鋼 鋼 鋼鋼 鋼
7.Logo	鋼	鋼 鋼 鋼 鋼鋼 鋼
8.MOQ	1000PCS	
9.Carton 鋼	65cm * 57cm 鋼 * 鋼 46cm	72cm * 57cm 鋼 * 鋼 59cm
10.Packing	1PCS / PPB / 鋼 鋼	10PCS 鋼鋼 CTN
11.Price 鋼	鋼 鋼	
12.Shipping 鋼	鋼 鋼 鋼鋼 鋼	鋼
13.Payment 鋼	鋼	T / T, 鋼鋼 鋼鋼, L / C
14.Sample 鋼	4~7 鋼	鋼鋼 鋼 鋼 鋼鋼鋼鋼 鋼
15.Production 鋼 鋼	20~30 鋼 鋼	鋼 鋼 鋼鋼 鋼 鋼, 鋼 鋼 鋼鋼 鋼.
16.Gender	鋼 鋼	鋼 鋼鋼 鋼鋼 鋼, 鋼鋼 鋼鋼 鋼 pantone 鋼 鋼鋼 鋼 鋼 鋼 鋼鋼.
17.Main 鋼	鋼, 鋼, 鋼鋼, 鋼, 鋼	
18.Our 鋼 鋼 鋼	CE EN1078 鋼鋼 鋼鋼 1. 鋼 鋼 2. 鋼 鋼鋼	
19.Our 鋼	鋼 鋼 鋼鋼 鋼 3. 鋼 鋼 4. 鋼鋼鋼 鋼 鋼 鋼 鋼 5. 鋼 鋼 鋼 6. 鋼	

鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼 鋼:









NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

Headform

Headform :

Headform is a model of a human head used for testing helmets.

headform :

headform is a model of a human head used for testing helmets.

headform :

Headform is considerably different from a human head.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.


QC / QA

Headform is used for testing helmets. It is a model of a human head.

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection




Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

3. 如何查詢包裹狀態?

請到我們的網站或致電客戶服務熱線查詢包裹狀態。

4. 如何查詢運費?

請到我們的網站或致電客戶服務熱線查詢。運費將在 24 小時內回覆 (不包括公眾假期)。查詢運費請提供包裹詳情。

5. 如何查詢保險費?

請到我們的網站或致電客戶服務熱線查詢。

運費及保險費將根據包裹價值而定。

請到我們的網站或致電客戶服務熱線查詢。查詢保險費請提供包裹詳情。

請到我們的網站或致電客戶服務熱線查詢。

運費及保險費將根據包裹價值而定。

6. 如何查詢收貨地點?

請到我們的網站或致電客戶服務熱線查詢。

7. 如何查詢收貨時間?

請到我們的網站或致電客戶服務熱線查詢。DHL、UPS、TNT、EMS 的收貨時間將根據目的地而定。DHL 的收貨時間最快。查詢收貨時間請提供包裹詳情。

B. 查詢收貨時間，請到我們的網站或致電客戶服務熱線查詢。

8. 如何查詢收貨地點?

T / T. 查詢收貨地點。