--- NO PPEN ON LED ON ON OND ON OND ON









AURORA - Your China Helmet Expert, Alibaba highly recommended supplier!





HELMETS

AU-MO2

et | 375g | EN 397 | ANSI

Safety helmet is well ventilated with PP shell and 4 point webbing suspension system. The helmet comes with 4 clips carrying external headlamps, a new Up-N-Down size adjustment system with a central ratchet wheel and two lateral finger push winglets for an ultimate fit.

ATTENTION: as a polypropylene material, it is a MOQ requirement to custom your own color, however, there is nine fashion color available for you.

WHITE RED YELLOW ORANGE GREEN BLUE BLACK GREY







Safety helmet

The helmet comes with ten air intakes which provide efficient cooling and ventilation. The air intakes on the outer shell is equipped with protective aluminum anti-intrusion grille that prevents entry of debris into the helmet. If for electrician who want to have an insulation protection function, the material of intakes could be changed into nylon.

Intakes material: Aluminum

Helmet specification

Norm: EN 397 Outer shell: PP, Polypropylene Size: universal 51-62cm headform Weight: (without ear defenders or visor):375g

Attachment of headlamps: nylon clips
Color: white/red/yellow/orange/green/blue/black/grey/pink





SAFETY HELMET



Helmet accessories available

Safety helmet with LED light.

AU-M02

white Red Yellow Orange Blue Green black

Led light headlamp led light



Safety helmet with ear protection and mesh faceshield AU-M02 white Red Yellow Orange Blue Green black

black

earmuff good sound insulation faceshield iron mesh



Safety helmet with plastic visor The set is compatible with our special visor and earmuff. AU-M02 white Red Yellow

Orange Blue Green black plastic with eye protection good sound insulation



Area of application safety helmets



Power generation



Iron tower



BTS station



Coal mining



Work at height



Petrochemical refining





Offshore oil and gas



Plumber



Cable car maintenance

Mobile plant maintenance



Aircraft Maintenance



Pulp&paper



Civil infrastructure



Sea rescue



Roof Cleaning



Hiking



	AU-M02 00 000 00
:	PP [][]
	PU [] [] [], [] EPS
	ABS / PP []
	PE 0000
	51-62cm
	407g ([] muffs[] [][][] [][][]
:	397 000 000 00 00 CPSC / CE 00 00
<u> </u>	
:	PANTONE
OEM[] REQ[] MOQ	2000 PCS

00 00 00	1. PP 00, PE 00, 00 00, 00 00 0 000 00 0000. 2. 00 00
	T / T, 000 000
	600,000pcs / []
000 00 00 00 :	CE EN397, CE□ EN12492
000 D :	000 000 1. 00 00 2. 00 000 0 00 00 3. 00 00 4. 0000 0 00 00 00 5. 00 00 00 6. 00.

0 00 00 00 000 00 00.







Display From Different Perspectives



□ Headform

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

PAYMENT AND SHIPPING



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment, please contact us ASAP







SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.







