

□□□ □□ □□

- □□□: □□, □□ (□□)
- □□□: □□□
- □□ □□: AU-M01
- □□: PC + EPS
- □□□: □□□ □□ □□
- □□: PC + EPS
- □□: □□□ □□ □□
- □□: 57-61cm
- □□: 275g
- □□ : □□ □□ □□
- □□□ : (14)
- □□□ : □□ □□ □□□ □□□ □□ □□□ □ □□ □□ □□ □□ □□□
- □□: □□ □□□ □ □□□ □□
- □: □□, □□, □□ □
- □□ : □ □□□ - □□ & A; □□□□ □□□□ □□□ □□

□□ & A; □□

□□ □□ □□ : PP □□, □□ □□, □□

PC □ □□, □□□ □□□ □□ □□

□□ □□

□	□□□	□□ □□
□□□	□□□ □□ □□	
□□	EPS □□□ + PC □	EPS □□ □□, EPS + PC□ inmould □□, □ □□□ □□ □□ □ □; □ □□ □□; □□□□ □□□ □□ □□
□□	57-61cm	□□ □□ □□ □ □□□ □□
□□ □□	□□	UV DRT, □□ □□
MOQ	2000 □	
□□ □□	65cm * 57cm□ *□ 46cm	72cm * 57C□ *□ 59cm
□□ □□	1 □	□□□
□□ □□ □□	□□ □□□□	□□ □□ □□□ □□ □, □□□ □□ □□ □□

□□□ □□□

□□□ OEM □□□ □□ □□ □□ □□ □□□□□□□□ □□ □□ □□ □□□ □□□ □□□ □□. □□ □ □□□ □ □ □, □□□ □□□ □□ □□□ □□ □□ □□ □□ :

1, □□□ □□ □□□.

2, □□□ □□ □□ & A; □□ & A; □□.

3, □□□ □□ □□.

4, □□□ □□ □□ □□ □ □□.

(5), □□□ □□ □□□□□□.

6, □□□ □□ □□ □□, □□□, PE □□, □□□ □□□□ □□.

□□ :









Heaform

□□ Headform :

□□□ □□□ □□□ □□ □□ □□□□ □□□□ □□ □□ □□□□□□ □□□□□.


□□ headform :

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□□ □□ □□□□□□□.

headform :

condierably

Helmet Shape 101



<p>European Headform</p> <p>An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.</p>	<p>Generic headform</p> <p>A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.</p>	<p>Asian headform</p> <p>A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.</p>
---	---	--

:

adjust :

1 : paralle

devider 2.Adjust

3.Adjusting

4.Adjust

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

我們提供多種規格之安全頭盔，符合 EN1078, EN397, EN12492, CPSC 等國際標準。所有產品均經過嚴格品質檢驗，確保安全耐用。歡迎各界人士垂詢，我們將竭誠為您服務！

Our In-house Testing Lab



Our in-house testing lab is equipped with state-of-the-art equipment for comprehensive product testing. We offer a wide range of services, including impact testing, vibration testing, and environmental testing. Our experienced technicians provide expert assistance throughout the testing process. Make your product testing a success!



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



□ □□□ □□?

---- □□□ □□ □□□ □□ □□□

□□ : □□□ □□ □□ □□□ □ □□ □□

OEM & A, ODM : □□□ □□□□□ OEM □ ODM □□□□ □□ □ □ □□□□

R & A, D □ : □□□□□ □□□ □□ □□ □□ □□

□□ : □□□ □□□□□ □□□ □□□ □□, □□ □□□ □□ □□□ □□□

□□ : □□□ □□□□□ □□ □□□ □□□ □□

□□□ : □□□ □□□ □□□, □□□ □□ □□

□□□ □□□ □□□ □□ □□□ □□□ 15 □ □□□ □□□ □□ □□ □□□□□. □□ □□□□ R & A, □□ □□□ □□ D □, □□□ □□□ □□□ □□□ □□ □□□

□□□□ □□ □□ □□ □□□□ □□ □□□□ □ □ □□□□.