

□□ □□ □□ □□ □□ □□ **AU-C02** □□ □□ □□ □□ □□ □□



□ □□ □□ □□□ □□ :

1. □□□ □□ 205g □□□, □□□ □□□ □□□,
2. 3 □□ □□ □□□□ □□□□ □□ □□ □□ □□□□ □□□□ □□□□, □□□□ □ □□□ □□
3. □□ □□ □□
4. □□ □□□ PVC □
5. □□ EPS □□□ □□□□ □□,

6. 3-6

Material : PVC

Material : EPS

Material : M 52-57CM;

Material : 205g,

Material : 205g,

Material : 205g,

Material : 205g,

Material : Headring, PA, PA

Material : Headring, PA, PA

Material	AU-C02
Material	EPS & A; PVC
Material	CE EN1078
Material	6
Material	7
Material / Material	M 52-57CM
Material	205g
Material	7
MOQ	300PCS
Material	PP + mastercarton

Material : 2











☐☐ Packagaing

☐☐ ☐☐ : 12 ☐ / ☐☐

☐☐☐ ☐☐ : 73 X 58 X 35cm

☐☐☐ : 6.50 kg

☐☐☐ ☐☐ : 1PCS / PP WTH ☐☐ ☐☐, ☐☐ ☐☐ ☐ 12 PCS





□□ □□ □□ □□ □□□ □□:

□□ **headform :**

□□□ □□□ □□□ □□□□ □□ □□□ □□□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□□□ □□□ □□ □□ □ □□□ □□□□□ □□□□ □□□ □□□ □□ □□□□□□.

□□□ **headform :**

□□ □□□ □□□ condierably □ □□ □□□ □□□ □□ □□□□□□□ □□□□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □ :

□□□ □□ □□□□□ (□□, □□ □□□, □□ □□ □) □□□ □□□ □ □□ □ □□ □□□ □□, □□□ □□□□ □□□□ □□ □□ □□□□ □□□□□.

Our In-house Testing Lab



□□:

□□□ □□□, ISO9001□□ □□ □, □□□ □□□ □□ □□□ □□ □□□ □ □□□ □□□ □□ □□□ □□□ □□□ : □□□ □□□ □□□□□□

CERTIFICATE



15

R & A; D

& A;

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□□ □□ :

□□□ □□ □□□ □□ □□ :

□□ □□ → PC □□ □□ → PC□ □□□ □□ → □□□ □□ □□□ → □□ □□ □□ EPS□ □□ → □□ - □□ EPS → - □□ □□ □□□ → □□ □□ → -
 mould □□ → □□□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □
 □ → □□□ □□□□ □□□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □ □ :

□ □ □ □ □ □ □ □ :

- □ □ : □ □ □ □ □ □ □ □ □ □

- OEM & A, ODM : □ □ □ □ □ □ □ □ OEM □ ODM □ □ □ □ □ □ □ □ □ □

- R & A, D □ : □ □ □ □ □ □ □ □ □ □ □

- □ □ : □

- □ □ : □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

- □ □ □ : □ □ □ □ □ □ □ □ □ □ □ □ □ □



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

□□ □□ :

□□ □□, □□□ □□ □□□□ □□ □ □□□□ : DHL, UPS, □□□, TNT, EMS □□ □□□ □ □□□ □□□ □□□ □□□ □□□□.

SHIPPING

