

□□ □□ □□ □□ **Inmold** □□ □□ **AU-b d 02**

Light-weight in-mold quality bicycle helmet -- only **7.5 USD**



CE



Size: S/M; M/L; L/XL
Weight: 220g

ULTRA LIGHT



<http://www.aurorasport.com/>

□□ □□ □□□ □□ □□:

-□□□ □□□, □□ □□ □□ □□ □ □□□□ □□ □□ □□□.

-3 □□ □□ □□□:□ □□□□ □□ □□ □□□ □□□ □□ □□ □□, □□□□ □ □□ □□.

-□□ □□, □ □□□ □□ □□, □□ □□ □□ □□.

-□□□ □□□□: □□ □□ □ □ □□ □□ □ □□□ □□.

-□□□ □□-□□□□ □□ □□ □□ PC □□.

-□□ □□ □□ EPS □□□ □□□□ □□

-□□□ □□□: □□ □□□ □ □□□ □□ □□ □□□; □□ □□ □□; □□ □□□ □□;

-□□: CE EN1078 □□ □□□ □□ □□

□□ □□ □□□ □□□ □□:

□□ □□	AU-b d 02 □□ □□ □□□ □□
□□	EPS □□ & PC □□ □ □□ □□
□□	CE EN1078
□□□	19 □□ □□□
□	Pantone, □□□ □□
□□/□□ □□	S/M:(54-58CM), M/l: 58-62 cm
□□	230 g
□□ □□	7 □
MOQ	300pcs
□□□ □□ □□	PP □□ + □□ □□ □□ □□ + mastercarton

□□ □□ □□ □□□ □□ □□:

Display From Different Perspectives















□□ □□ □□ □□ □□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □ □□□□ □□□ □ □ □□ □□□□□ □□.

CERTIFICATE



□□ □□□ □□□:

□□□ □□□ □□□ □□ □□□ □□ □□ 15 □ □□ □□ □□□□□. □□ □□ □ R & D □ □□ □□, □□□ □□□ □□ □ □□ □ □□ □ □ □□□ □ □□□□ □ □□□ □□ □□□□□ □□ □ □□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□:

□□ □□□□, □□ □□ □ □□ □□ □□ □ □ □ □ □ □! □□□ □□□ □□ □□ □□ □□ □ □□□ & □□□ □□□ □□ □□□ □ □ □□□ □! □□□ □□ □□ □□□ □□□ □□□ □□, □□□ □□ □□□ □□ □□ □□ □□ □□□! □□ □□ □□ □□ □□ □□ □□ □□ □ □ □! □□ □□ □□ □□ □□ □□ □□ □□ □□ □□ □ □ □!

SHIPPING

