

CE, ,



：

1. , 205 g
2. 3 : , , ,
- 3.
4. PVC
5. EPS

6. 3-6

: PVC
 : EPS
 : M 52-57 CM;
 : 205 g
 :
 : Heading , , , .

	AU c 02
	-EPS & PVC
	CE EN1078
	6
	Pantone,
	M 52-57 CM
	205 g
	7
MOQ	300pcs
	PP + + mastercarton











☐☐ Packagaing

☐☐ ☐ ☐☐: 12 ☐ ☐☐/☐☐

☐☐☐ ☐☐: 73 X 58 X 35 cm

☐ ☐☐: 6.50 kg

☐☐☐ ☐☐: 1PCS/PP wth ☐ ☐☐, ☐☐☐ ☐☐ ☐ 12 PC





□□ □□□ □□ □□ □□□ □□:

□□ **headform:**

□□□ □□□ □□□ □□ □□ □□□ □□ □ □□ □□.

□□ **headform:**

□□ □□ □□□ □□ □ □-□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ condierably□ □□□ □□□ □□ □ □□ □□□ □□

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Helmet Size Chart:

Helmet size is determined by head circumference (inches, centimeters, or millimeters). To determine your helmet size, measure your head circumference with a tape measure, and then refer to the chart below.

Our In-house Testing Lab



☐☐:

☐☐☐ ☐☐☐ ☐☐☐: ISO9001, ☐☐, ☐☐, ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐

CERTIFICATE



15 年 的 經 驗 和 研 究 開 發 能 力 使 我 們 為 您 提 供 最 佳 的 產 品 和 服 務 。
 我 們 的 產 品 和 服 務 已 經 獲 得 了 國 際 上 最 著 名 的 認 證 機 構 的 認 可 。
 我 們 的 產 品 和 服 務 已 經 獲 得 了 國 際 上 最 著 名 的 認 證 機 構 的 認 可 。
 我 們 的 產 品 和 服 務 已 經 獲 得 了 國 際 上 最 著 名 的 認 證 機 構 的 認 可 。

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□□ □□:

□□□ □□ □□□ □□:

□□ □□□ → PC □□ □□ → PC□ □□□ □□ → □□□□ □□□ □□ → □□ □□ □□ EPS□ □ □□ → □□-□□ EPS → □ □□ □□ □□□ → □□□ □□
 □ → -□□ □□ → □□□ □□ □□ → □□ □□ □ □□ □□ → IQC □□ → □□□ □ □ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □
 □ → □ □ → □□ □□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □□:

□ □□ □□□ □□□□.

-□□: □□□ □□ □□ □□□ □ □□ □□□□

-OEM & ODM: □□□ □□□ □ □□ OEM □ ODM □□□□ □□□ □ □□□□

-R & D □: □□□ □□ □ □ □□ □□ □□□

-□□: □□□ □□ □□□ □□□ □□ □□□ □□ □□

-□□: □□□□□ □□ □□ □□ □□

-□□□: □□ □ □□ □ □□□, □□□ □□ □□□

WHY US



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

包裝 說明:

包裝 說明 說明 說明 說明 說明: DHL, UPS, 說明 說明, TNT, EMS 說明 說明 說明 說明 說明 說明.

SHIPPING

