

00 00

00 000 000 00 Co., 00 00 00, 2012 00 22 0 00 00

00 00 ofhelmet 00 00000 0 0 00 000 00 0000000.

0000 00, 00000 00, 00 0000 0000 000 00 0 00 0000 00.
OEM 0 ODM 0000 00000000. 0000 00 0 R & D 0 00 0000 00 1 00 00 00000 000000.
99% 00 0 0000 00 0000 000000, 00, 00, 00 00000.
00 00 00 0 0 00 0000 00 00 00 0 0000 0000 00000 0000 0 00.
0000 00000 0000 00 00 0 00 00 00.

0 0000 00?

--0000 0000 00 0000 00 0000

00: 0000 00 00 0000 0 00 00000

OEM & ODM: 0000 0000 0 0 OEM 0 ODM 00000 0000 0 00000

R & D 0: 00000 0 0000 00 00 00 00

00: 0000 00 0000 0000 00 00 0000 00 00

00: 000000 00 00 00 00

0000: 00 0 00 0 0000, 0000 00 0000

Logo style: Dome, Metal, UV-Dart sticker, Water decal..



QUALITY
With strict quality management system and first-class products



OEM&ODM
We can provide OEM and ODM service for customers



R&D TEAM
With professional and strong technical development team



PRICE
We have our own production line, to reduce the price to a minimum



PATENT
We constantly introduce patented technology products



SERVICE
Perfect after-sales service, so customer satisfaction

產品特點:

1. 重量 220 g, 輕便耐用
2. 結構, 採用最新材料, 堅固耐用。
3. 透氣: 採用透氣材料, 保持頭部乾爽,
4. 採用 PC 材料, 堅固耐用。
5. 採用 EPS 材料, 緩衝衝擊, 保護頭部。
6. 採用 PA 材料, 堅固耐用。
7. 採用最新技術, 提高透氣性。
8. 符合: CE EN1078 安全標準

產品規格:

重量

尺寸

(重量 尺寸)

1. 颜色	黑色	黑色, 白色, 红色, 蓝色, 黄色, 绿色, 紫色, 棕色, 灰色, 银色, 金色
2. 型号	AU C04	
3. 材质	EPS + PC	EPS, EPS + ABS, ABS, PC, PP, PE, PVC, PET, PS, PMMA, PMMA + PC
4. 重量	195 g	
5. 尺寸	XS: (46-50 cm); S/M(51-56cm); M/L(56-61cm)	
6. 数量	1000pcs	
7. 包装	65 cm * 57 cm * 46 cm	72 cm * 57 cm * 59 cm
8. MOQ	1pcs/ppb/1000	10pcs ctn
9. 交货	FOB	
10. 交货	30-45天	
11. 交货	4-7天	
12. 交货	20-30天	
13. 交货		
14. 交货		
15. 交货		
16. 交货		黑色, 白色, 红色, 蓝色, 黄色, 绿色, 紫色, 棕色, 灰色, 银色, 金色
17. 交货		
18. 交货	CE EN1078	
19. 交货	1. 颜色 2. 尺寸 3. 数量 4. 交货 5. 重量 6. 材质	

联系我们: info@...











Personalized ☐☐

☐☐ *accpet* ☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐, ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐☐☐.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

Headform

Headform:

Headform is a model of a human head used for testing helmets.

headform:

headform is a model of a human head used for testing helmets.

headform:

Headform A is a model of a human head used for testing helmets.

Helmet Shape 101



European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

QC/QA

QC/QA is a process of checking the quality of the product before it is shipped to the customer.

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

CERTIFICATE / AUTHENTICATION



이러한 인증서는 SGS가 고객에게 제공한 서비스의 질을 보장하고, 고객에게 제공된 서비스의 질을 높이기 위해 노력하고 있습니다. SGS는 고객에게 제공된 서비스의 질을 높이기 위해 노력하고 있습니다. SGS는 고객에게 제공된 서비스의 질을 높이기 위해 노력하고 있습니다. SGS는 고객에게 제공된 서비스의 질을 높이기 위해 노력하고 있습니다.



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



常见问题(FAQ)

1. OEM 是什么意思?

OEM 是指 Original Equipment Manufacturer，即原始设备制造商。在制造业中，OEM 通常指那些为其他公司生产产品或组件的公司。这些公司通常与品牌所有者签订合同，为其生产产品。OEM 产品通常与品牌所有者的产品相似，但可能没有品牌所有者的标志。OEM 产品通常用于替换或维修。OEM 产品通常比品牌所有者的产品便宜，因为它们没有品牌所有者的营销和分销成本。OEM 产品通常用于替换或维修。OEM 产品通常比品牌所有者的产品便宜，因为它们没有品牌所有者的营销和分销成本。

2. ODM 是什么意思?

ODM 是指 Original Design Manufacturer，即原始设计制造商。在制造业中，ODM 通常指那些为其他公司设计、开发和生产产品的公司。这些公司通常与品牌所有者签订合同，为其设计、开发和生产产品。ODM 产品通常与品牌所有者的产品相似，但可能没有品牌所有者的标志。ODM 产品通常用于替换或维修。ODM 产品通常比品牌所有者的产品便宜，因为它们没有品牌所有者的营销和分销成本。

00, 00 000 0 0 0000 00 00 00 000000. 0 5 ~ 6 0000 00 00 00 00 00 00 0 00 0000 0000.

3. 00 00 00?

0, 0000 0 00 00 00 00 0 00 0000 0 0 00 0000 0000 00, 0000 00000 0 00 00000 0000 00 0000.

4. 00 00 00 000000?

00 0000 0000 00 00 0000 00 0000. 0 00 00 00 0 24 00 0000 0000 0 00 0 0 00 (00 00 0 0 00 00). 00000 0 00 00 00 00 0000 00 0000.

5. 0000 00 00 00 00?

a. 0 0000 00 0000 0 0 00 00 00 0000 00, 0000 00 0000

0000 0000 0000 00 0000 00 0000 0000 0 0 0000 0 0 00 00 0000 00 0 000000.

b0000. 00, 00 0000 0 3 0 00 00 0000 00 00 00, 00 0000 00 0 0000 00 00 0000 00 000000. 00 0 0 0000000.

c. 00 0000 0000 00 00 000000, 0000 0000 0000 000000.

0000 00 0000 0000, 00 00000000 00 0 0 0000 VIP 000000 00 0 000000.

6. 0 0000 0 0 0000 00 00 00 0000?

0, 0000 0000 00 00 00 0000 0000 0 000000.

7. 0000 00 00 0000 00?

1. 00 00, 00 00 DHL, UPS, TNT, 0000 0000000, EMS 0000 0000000. DHL0 0000 0000000. 0000 00 0000 0000 0 0 0000 0 0 0000 00 00 0 000000. 0000 00 0000 00 0000, 0000, 00 000000 00 00 00 00 00 00 00 000000.

B. 0 0 0 00, 00 0000 0000 0000000.

80000. 00 0000 0000000?

T/t. 000000000. 0 0 00000000.