

□□ □□ □□ □□ □□ □□, □□ □□ □□ □□ □□ **AU-C06**



□□ □□ □□ □□ □□□ □□ :

|       |                                    |
|-------|------------------------------------|
| 型號    | AU-C06                             |
| 認證    | 符合 EPS 規格 & PC 級                   |
| 標準    | CE EN1078                          |
| 厚度    | 13 吋 規格                            |
| 顏色    | Pantone, 可選 10 色                   |
| 尺寸/規格 | S: 45-50 cm; M: 50-55 cm; L: 54-58 |
| 重量    | 225 g                              |
| 包裝    | 7 個                                |
| MOQ   | 300pcs                             |
| 包裝規格  | PP 箱 + 內襯 10 個 規格 + mastercarton   |

[illegible]

1. תחנת תחנת 225 a. תחנת תחנת
2. תחנת: תחנת תחנת. תחנת תחנת תחנת תחנת,
3. תחנת PC תחנת תחנת תחנת תחנת.
4. תחנת תחנת EPS תחנת, תחנת תחנת, תחנת תחנת, תחנת תחנת תחנת תחנת.

- □□□□ □□□ □□ □□ □□:













## Packaging

12 pcs/box

Box size: 73 X 58 X 35 cm

Weight: 6.50 kg

1PCS/PP box with 12 PC





□□ □□ □□ □□ □□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □□□□ □□□ □ □ □□ □□□□□ □□.

# Helmet Shape 101



## European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

## Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

## Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Figure 1:

Figure 1 shows the three main types of helmet shapes (European, Generic, Asian) and their corresponding headform dimensions. The European helmet is designed for a head with a dimension which is considerably fit for Europeans. The Generic helmet is designed for a head with a dimension which is slightly longer front-to-back than its side-to-side measurement. The Asian helmet is designed for a head with a dimension which is considerably fit for Asians.

## Our In-house Testing Lab



☐☐:

☐☐☐ ☐☐☐ ☐☐☐: ☐☐☐ ISO9001, ☐☐ ☐☐, CE ☐☐, ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐

## 1

[illegible]

## CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□ □□:

□□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□ → □□ □□ → □ □  
 □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□ □□ □□ □□ → □□ □□ → □□ □□ → □□ → □ □ → □□□□  
 □ □□□□□.

## Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material  
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing  
process



semi-finished In-mold  
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection  
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□:

□□, □□□ □□□□□ □□ □ □□□□: DHL, TNT, UPS, □□□ □□□□□, EMS □□ □□□ □... □□ □□ □□□ □ □□□□.

## 11

