

--	--	--	--

1. PC 零件 廠商 與 零件 商 直接 交易 零件 廠商。
2. 廠商 與 EPS 商, 零件 商, 零件 商, 廠商 與 零件 商。
3. 零件 商 與, 零件 商 與 零件 商, 零件 商。
4. 廠商 與 零件 商 與 零件 商 與 零件 商。
5. 廠商 與 零件 商 與 零件 商, 廠商 R & D 廠商。

□□	□□□	(□□ □□)
□□ □□	□-□□□□□□	□ □□ □□□ helemt, □□□ □□□ □□□ □ □, □□ □□□ □□, □□ □□ □□ □□
□□ □□	BM08	
□□	PC + EPS □□ □□ □□□□ □□□ □ □, ITW □□, □□ □□□□ headkey □□	
□□ □	□□□□ □□ □	□□ □□, □□ □ □ □
□	□□ pantone □□ □ □	□□ pantone □□ □ □
□□	S/M(54-59CM) M/L(58-62CM)	□□ □□ □□ □□ □□□ □□
MOQ	□□ □ □ 300pcs □□□ 500 pc	
□□ □□	73 * 58 * 35 cm	
□□	12pcs/ctn	10pcs □□□ ctn
□□ □□	FOB	
□□ □□	□□ □□ □□	□□□□□□
□□ □□ □□□	T/T, □□□ □□□, □/C	
□□ □□	4-7 □	□ □□ □□ □□ □□
□□ □□ □□	20-30 □	□□ □□ □□□ □□ □

□ □ □ □ □ □ □ □ □ □







[illegible]

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
	PLA2051	PLA2012	PLA2148	PLA2304	PLA2204
	PLA2034	PLA2041	PLA2273	PLA3880	

				LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
	-00	-115	-109	-112	-104	

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						
STRAP BUCKLE											

BUCKLE						
	-105	-106	-01	-107	-07	-114
	-110	-104	-116	-117	-106	-112
	-115	-111	-00	-109	ITW	MAGNET

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
	PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

[illegible]

Packaging




Items per Carton: 12 Pieces/Carton

Package Measurements: 73X58X35 cm

Gross Weight: 6.50 kg


Package Type: 1PCS/PP bag with color box, 12 PCS PER BROWN CARTON

[illegible]

“Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

1



00 00 00 000 000 00000 00 0000: <http://www.helmetsupplier.com> 0 000 00 000 00



With strict quality management system and first-class products



We can provide OEM and ODM service for customers



With professional and strong technical development team



We have our own production line, to reduce the price to a minimum



We constantly
introduce patented
technology products



Perfect after-sales service, so customer satisfaction

000 00 0 0 000 000 00 0 00 00 00 0000 000 00.

- □□ □□(FAQ)

- [illegible]

- , 00 0000 0000 00, 00 0000 0000 00 0000 0 0 0000 00 0000 20%. 15-20-0000 000000 00 00 00, 00 0000 0 0 00 00 0000 00 00 00. □ 5 ~ 6 0000 0000 00 00 0 0000 00 00 00 0 0, 00 0000. □ 0000 00 0000 00

3. □□ □□ □□?

□, 0000 00 00 00 00 0 00000 00000 00 0000 00 00 00 00000 0000 00.

4. 00 00 00 000000?

0000 0000 0000 00 00 0000 000000. 00 00 00 (00 00 00 00) 0 24 00 0000 0000 0 00 0000. 00 00 00000 0000 00 00 0000. 0 0000 00 0000 00

5. 0000 00 00 00 00?

0000 3600 00 00:

- a. 0 0000 00 0000 0 0 00 00 00 0000 00, 0000 00 0000
0000 0000 0000 00 0000 00 0000 0000 0 0 0000 0 0 00 00 0000 00 0 00000.
- b. 0 0000 00 0000 0000 00 0000 0000 00 00 00 00 0000 00 0 0000 00, 00 0000 0000 00 00000.
- c. 00 0000 0000 00 00 00000, 0000 0000 0000 00000.
0000 00 0000 0000, 00 00000000 00 0 0 0000 VIP 00000 00 0 00000.

6. 0 0000 0 0 0000 00 00 00 0000?

□, 0000 0000 00 00 00 0000 0000 0 00000.

7. 0000 00 00 0000 00?

- A. 00 0000 00 00 00 DHL, UPS, TNT, 0000 000000, EMS 0000 000000. DHL 0000 00. 0000 00 0000 0000 00 0000 0 0 0000 00 00 0 00000. 0000
00 00 00 0000 0 0000 0000 00 00 00000 00 0000 0000 00 0 0 00.
- B. 0 0 0 00, 00 0000 0000 000000.

8. 0000 00 0000 000000?

T/t. 00000000. 0 0 000000.