

00 000 0000 00 00 00 22 0 000 00, 2012 0 00.

00 000 00 ME2 00 000 00 000 000 00.

000 00, 0000 00, 00 000 000 000 00 0 00 00 000 00 0 0000.  
 OEM 0 ODM 000 000. 000 00 0 R & A, D 00 00 000 00 0 00 0000 000000.  
 99 % 0 0 000 00 000 00, 00, 00, 00 000  
 000 000 00 0000 0000 000 00 000 00000 00 0000 00 00000.  
 000 00000 000 00 0 000 00 0000 00.

**WHY US**



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



**QUALITY**  
 With strict quality management system and first-class products



**OEM&ODM**  
 We can provide OEM and ODM service for customers



**R&D TEAM**  
 With professional and strong technical development team



**PRICE**  
 We have our own production line, to reduce the price to a minimum



**PATENT**  
 We constantly introduce patented technology products



**SERVICE**  
 Perfect after-sales service, so customer satisfaction

00 00 0000 00 :

1. 0 00 000000 220g, 000 000 000 0,
2. 00 00 00 struction, 00 0000 000 000 0000 000.
3. - 00 00 : 000 0 0000 00, 00 00 00 0 0,
4. Thicken PC 0, 00 000 00 0 000.

5. 鋼 鋼 鋼 EPS 鋼, 鋼, 鋼, 鋼鋼 鋼鋼 鋼鋼.

6.with 鋼 鋼鋼鋼 鋼, PA 鋼, 鋼 鋼, 鋼 鋼鋼.

7.Lining 鋼 鋼 鋼 鋼鋼 鋼鋼 鋼鋼.

8. 鋼 : CE-EN1078 鋼 鋼鋼鋼鋼 鋼,

鋼 鋼鋼鋼-鋼鋼-鋼:

| 鋼                 | 鋼鋼  | 鋼 鋼   |
|-------------------|---|---|
| 1. 鋼 鋼            | 鋼 鋼鋼 鋼鋼 鋼鋼 鋼                                    | 鋼鋼 鋼, 鋼鋼 鋼, 鋼 鋼鋼 鋼, 鋼 鋼鋼 鋼, 鋼 鋼鋼 鋼, 鋼鋼 鋼鋼 鋼,                      |
| 2.Model 鋼         | AU-C04  |   |
| 3.Material        | 鋼 鋼鋼 EPS 鋼鋼 + PC 鋼                              | EPS 鋼 鋼, EPS 鋼 + ABS 鋼, 鋼 鋼鋼 鋼 鋼 鋼 鋼 鋼; 鋼 鋼 鋼; 鋼 鋼 鋼, 鋼 pantone 鋼 |
| 4. 鋼              |   |   |
| 5. 鋼              | 195g  |   |
| 6.Head 鋼          | XS (46-50cm) S / M (51-56cm), M 鋼 / L (56-61cm) | 鋼 鋼 鋼 鋼 鋼鋼 鋼  |
| 7.Logo            | 鋼   | 鋼 鋼 鋼 鋼鋼 鋼  |
| 8.MOQ             | 1000PCS   |   |
| 9.Carton 鋼        | 65cm * 57cm 鋼 * 鋼 46cm                          | 72cm * 57cm 鋼 * 鋼 59cm  |
| 10.Packing        | 1PCS / PPB / 鋼 鋼                                | 10PCS 鋼鋼 CTN  |
| 11.Price 鋼        | 鋼 鋼   |   |
| 12.Shipping 鋼     | 鋼 鋼 鋼鋼 鋼  | 鋼   |
| 13.Payment 鋼      | 鋼   | T / T, 鋼鋼 鋼鋼, L / C   |
| 14.Sample 鋼       | 4~7 鋼   | 鋼鋼 鋼 鋼 鋼鋼鋼鋼 鋼   |
| 15.Production 鋼 鋼 | 20~30 鋼 鋼                                       | 鋼 鋼 鋼鋼 鋼 鋼, 鋼 鋼 鋼鋼 鋼.   |
| 16.Gender         | 鋼 鋼   | 鋼 鋼鋼 鋼鋼 鋼, 鋼鋼 鋼鋼 鋼 pantone 鋼 鋼鋼 鋼 鋼 鋼 鋼鋼.                         |
| 17.Main 鋼         | 鋼, 鋼, 鋼鋼, 鋼, 鋼                                  |   |
| 18.Our 鋼 鋼 鋼      | CE EN1078                                       |   |
| 19.Our 鋼          | 鋼鋼 鋼鋼 1. 鋼 鋼                                    |   |
|                   | 2. 鋼 鋼鋼   |   |
|                   | 鋼 鋼 鋼鋼 鋼 3. 鋼 鋼                                 |   |
|                   | 4. 鋼鋼鋼 鋼 鋼 鋼                                    |   |
|                   | 鋼 5. 鋼 鋼  |   |
|                   | 鋼 6. 鋼  |   |

鋼 鋼鋼 鋼鋼 鋼鋼 鋼鋼 鋼 鋼:



















|                  |         |         |         |         |         |
|------------------|---------|---------|---------|---------|---------|
| NYLON<br>WEBBING |         |         |         |         |         |
|                  | PLA2001 | PLA2135 | PLA2008 | PLA2057 | PLA2191 |
|                  |         |         |         |         |         |
|                  | PLA2081 | PLA2020 | PLA2242 | PLA2179 | PLA2106 |
|                  |         |         |         |         |         |
| PLA2051          | PLA2012 | PLA2148 | PLA2304 | PLA2204 |         |
|                  |         |         |         |         |         |
| PLA2034          | PLA2041 | PLA2273 | PLA3880 |         |         |

|  |  |  |  |  |                 |
|--|--|--|--|--|-----------------|
|  |  |  |  |  | LOGO<br>STICKER |
|  |  |  |  |  |                 |
|  |  |  |  |  |                 |
|  |  |  |  |  |                 |

|        |         |            |            |            |         |         |
|--------|---------|------------|------------|------------|---------|---------|
| LINING |         |            |            |            |         |         |
|        | PLA6000 | PLA6010-10 | PLA6211-02 | PLA6325-08 | PLA6317 | PLA6520 |

|                |      |      |      |      |      |      |
|----------------|------|------|------|------|------|------|
| DIVIDER<br>(1) |      |      |      |      |      |      |
|                | -111 | -36  | -116 | -119 | -00  | -120 |
| DIVIDER<br>(2) |      |      |      |      |      |      |
|                | -01  | -07  | -107 | -114 | -36  | -111 |
|                |      |      |      |      |      |      |
|                | -116 | -106 | -117 | -113 | -105 | -110 |
|                |      |      |      |      |      |      |
| -00            | -115 | -109 | -112 | -104 |      |      |

|  |      |  |      |  |      |  |      |  |      |  |     |
|--|------|--|------|--|------|--|------|--|------|--|-----|
|  | -114 |  | -36  |  | -107 |  | -07  |  | -106 |  | -01 |
|  | -113 |  | -104 |  | -117 |  | -115 |  | -116 |  | -00 |
|  | -112 |  | -111 |  | -109 |  |      |  |      |  |     |

|        |      |      |      |      |        |      |
|--------|------|------|------|------|--------|------|
| BUCKLE |      |      |      |      |        |      |
|        | -105 | -106 | -01  | -107 | -07    | -114 |
|        |      |      |      |      |        |      |
| -110   | -104 | -116 | -117 | -106 | -112   |      |
|        |      |      |      |      |        |      |
| -115   | -111 | -00  | -109 | ITW  | MAGNET |      |

|                    |            |         |            |            |         |
|--------------------|------------|---------|------------|------------|---------|
| SIZE<br>ADJUSTMENT |            |         |            |            |         |
|                    | PLA5022    | PLA5073 | PLA5285    | PLA5406    | PLA5663 |
|                    |            |         |            |            |         |
| PLA5058            | PLA5127-00 | PLA5127 | PLA5388-13 | PLA5388-01 |         |

## Headform

Headform :

Headform is a model of a human head used for testing helmets.

headform :

headform is a model of a human head used for testing helmets.

headform :

Headform is considerably different from the human head.

# Helmet Shape 101



### European Headform

A long Oval shaped helmet is designed for a rider's head with a dimension which is considerably longer front-to-back than its side-to-side measurement.

### Intermediate Oval

An intermediate Oval shaped helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

### Asian head form

A Round Oval shaped helmet is designed for a rider's head with a dimension which has an equally long front-to-back measurement as side-to-side measurement.

## QC / QA


Headform is used for testing helmets. It is a model of a human head.



# “Testing Procedures”



The Impact force detected



Field of Vision Testing


Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control. The finished product, helmets at Aurora is then tested and qualified to export to the world.



Static Stability Testing



Head type detection



Head Circumference Testing



Conditioning Tests



Shock Absorbing Capacity



dynamic strength test

# CERTIFICATE / AUTHENTICATION



我们提供全面的认证服务，包括CE、SGS、ECM、AURORA等。我们拥有专业的技术团队，为您提供从产品检测到认证申请的全面支持。我们的服务覆盖全球，确保您的产品符合国际标准和法规要求。我们致力于为您提供最优质、最快捷的认证服务，让您的产品顺利进入国际市场。联系我们，获取更多信息！



PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.



15 R & A, D

?

---

:

OEM & A, ODM : OEM ODM

R & A, D :

:



□□ : □□□ □□□□□ □□ □□□ □□□ □□

□□□ : □□□ □□□ □□□, □□□ □□ □□