

□□ □□ □□, H05 VG1 □□ □□ □□ □□ □□

# NEW ARRIVAL CE EN1384 APPROVAL HORSE RIDING PROTECTION HELMET



CE Certificate

Size: S/M;M/L;L/XL

Weight: 550g

Model Show



□□ □□ □□□ □□:

- □□□: □□□□ □□ □□□ □□□□, □□□□ □ □□ □□.
- □□-□□-□□ □□ ABS □□.
- □□□ EPS □□□ □□□□ □□ □□.
- □□□: □□ □□□ □ □□□ □□ □□ □□□; □□ □□ □□; □□ □□ □□;
- : □□ □□□ □□ CE EN1384 VG1 □□.

□□ c□□ □□ □□□ □□□:

□□ □□	AU H05 □□ □□ □□
□□	□ □ □ + □□ □□ EPS, □□ □□ □□ □□ □□ □□ □□
□□ □□□	□□-□□□□ □□ □□ ( □□□ □□/□□ □ )
□□	CE EN1384 & VG1 01.040 2014-12
□□/□□ □□	S(50-56cm); M(55-59cm); L(58-61cm)
□□	□□: S(420±50g),M(450±50g),L(540±50g)
□□	□□□ □□□ □ □□ □□
□	□ □
□□ □□	3-7 □□ □□
MOQ	200 PC
□□ □□ □□	□□ □□: □ □□ □□ □□□ □ □□
	□□ □□: 9 Pc□ / □□□ □□ □□: 67 * 31.5 * 52.5 C M

□□ □□ □□ □□ □□ □□ □ □ □□:



























## Packaging :

Quantity: 9 /

Dimensions: 67 \* 31.5 \* 52.5 c M

Weight: 4.50 kg

Contents: 1PCS/PP with , 9

## Product Features:

Feature:

Product is made of high quality material.

Feature:

Product is made of high quality material.





# Our In-house Testing Lab



□□:

□□ □□ □□□□ □□ □ □□□□: □□□ ISO9001, □□ □□, CE □□□□□□ □□ □□□ □□□ □□ □□□ □□□, □□□ □□□ □ □□ □□ □□ □□ □□ □□





### QUALITY

With strict quality management system and first-class products



### OEM&ODM

We can provide OEM and ODM service for customers



### R&D TEAM

With professional and strong technical development team



### PRICE

We have our own production line, to reduce the price to a minimum



### PATENT

We constantly introduce patented technology products



### SERVICE

Perfect after-sales service, so customer satisfaction

## 公司优势:

公司拥有专业的研发团队, 拥有自主知识产权, 产品远销全球, 深受客户好评! 公司拥有完善的质量管理体系, 产品质量稳定可靠! 公司拥有先进的生产设备, 生产效率高! 公司拥有专业的售后服务团队, 客户满意度高!

### PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



### SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

