

安全头盔, 安全头盔 型号 [AU-L001](#) **AU-L001**

安全头盔 规格参数 :


1.	名称
2.	型号
3.	材质
4.	颜色
5.	尺寸
6.	重量
7.	最小起订量
8.	包装方式
9.	认证
10.	交货期
11.	备注
12.	交货周期
13.	其他





VENTILATION SYSTEM

Small vents design, it can keep warm but with the aerodynamic efficiency.



GETTING THE RIGHT FIT


The headform was made according to ISO/DIS 6220 standard, and keeps 90% fitting rate.





SOFT WASHABLE PADS

Ergonomic interior padding for comfort and durability



HIGH DENSITY EPS FOAM

Impact-absorbing material, offering great protection on our head.

□ □□ □□ □□ □□ □□ □□ :

□□ **Headform :**

□□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□□□ □□□□□.

□□ **headform :**

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□ □□□□ □□□ □□ □□□□□□□.

□□□ **headform :**

helmets fit considerably better than helmets designed for Asians.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

helmets fit better :

helmets designed for Asians (Asian, Asian, Asian) fit better than helmets designed for Europeans, helmets designed for Asians fit better than helmets designed for Europeans.

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □□ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □□ → □□ □□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

SHIPPING

