

**□□□ □□□ □□ AU-H07□ □□:**

- □□□: □□ AU-H07□ □□, □□□ □ □□□ □□ □ □□ □□□. □□□ □□□ □□ □ □□□ □□ □□ □□□ □□□ □□, □□ □ □□□□ □□ □□.
- □□ □□□ □□ □□□ □□ □ bs □□.
- EPS □□□ □□□□ □□ □□□,
- : □□ □□ □□□ □□ □□ □□□ □ □□; □□ □□□ □□;
- : □ □ EN1384, □□ □□□ □□ □□ □ VG1.

**□□□ □□□ □□ □□:**

□□ □□□.	AU-H07
□□	bs □ + □□□□ eps,
□□ □□	□□□□, □□, pu □□
□□	ce VG1
□□ □□ □□ □ □□	□□: 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
□	□ □□, □□□ □ □□ □□□□ □□ □ □□ □
□□	pantone
□□ □□	3-7 □□ □□
moq	520pcs
□□ □□	□□ □□□: □ □□ □□ □ □ □□
	□□ □□□: 9 PCs/□□ □□ □□: * 32 * 53.5 67.5 CM


**□□ □□ □□□ □ □□ □□ AU-H07□:**











## INDIVIDUAL FIT HEAD FORM

A long oval shaped head form is designed for a rider's head with a dimension which is considerably fit for Europeans.



## UNRIVALLED ADJUSTMENT FOR OPTIMUM COMFORT


Progressive adjusting system allows the helmet to perfectly and user-friendly fit on the rider's head, guaranteeing the crucial advantage in terms of safety and wearer comfort with 3 functional performance.





## **FRIENDLY DESIGN FOR WOMEN PONYTAIL**

Considerate rear space ensures your braid, rope or bun hairdos look good with a helmet, keep hair from slipping and getting in your face while you're riding and allow your hairstyle fit snugly under helmet. It still looks good when the helmet comes off.



## **ONE PIECE ANTIBACTERIAL INNER PADDING**


Comfortable and breathable velvet foam padding integrated with air mesh layer, ensures a better moisture wicking and sweat releasing effect. Removable and washable design lead to maximum comfort and hygiene.





## LUXURY BRANDING POSITION

Central flat space for logo labeling, it will never peel off even after a long time using. This tailor-made ODM helmet is the best product to promote with own brand.



## ADVANCED MASS VENTILATION SYSTEM

Aerodynamic ventilation channels provide high standards of cooling airflow, taking away the hot air of the inner fabrics to improve the rider's physiological comfort.







## UTILITY SUN PROTECTION

Novelty designed to provide adequate sun protection for the rider, the wide peak protects the skin against weather damage, while ensuring maximum visibility. Engineering ABS injection peak is assured from any deformation.

CS 01

CS 01: 9 pc CS 01

CS 01: CS 01: 67 \* \* 31.5 52.5 CM

CS 01: 4.80 kg

CS 01: 1pc/PP CS 01 wth CS 01, CS 01 CS 01 9 DC

CS 01 CS 01 r CS 01 CS 01 CS 01:

CS 01 CS 01:

CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01.

**headform** CS 01:

CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01.

CS 01 CS 01:

CS 01 CS 01 CS 01 CS 01 concerably CS 01, CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01.



CS 01 CS 01 CS 01:

CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01, CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01! CS 01 CS 01 CS 01 CS 01 EN1078, EN397, EN12492, EN1384, VG1 cpsc, CS 01 CS 01, CS 01 CS 01 CS 01. CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01, CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01 CS 01!

# Our In-house Testing Lab



□□:

□□□ □□□□ □□□ □□: ISO9001, □□□ □ □□, □ □ □□□ □□, □□□ □□ □ □ □□□ □□□ □□ □□□ □□ □□ □□ □□□ □□

# CERTIFICATE / AUTHENTICATION



00 000 0000 00 00:  
 00 000 → PC 00 00 → PC 000 00 → 000 000 00 → EPS 00 0000 00 00 → 00 00 EPS → 0000 000 00 → 000 00 →  
 00 0 → 000 00 00 → 0 00 0 000 00 → iqC 00 → 00, 00 → 000 00 00 → 0000 00 000 → 00 00 → 0000 00 → 00 → 0  
 0 → 00 0 000.



0 000 00 0000?

-000 00 000 00 000

0: 000 00 00 0 000 0000

oem 0dm: 000 000 00 oem 0DM 0000 00 0 0 0000

00 0 00 0: 000 0 00 0000 000 000

00: 000 000 000 000 0000.000 tion, 00 000 00 0

00: 000 0000 00 000 000 00 000

000: 00 0 00 0 000, 000 00



## QUALITY

With strict quality management system and first-class products



## OEM&ODM

We can provide OEM and ODM service for customers



## R&D TEAM

With professional and strong technical development team



## PRICE

We have our own production line, to reduce the price to a minimum



## PATENT

We constantly introduce patented technology products



## SERVICE

Perfect after-sales service, so customer satisfaction

24 小時服務熱線，歡迎各界人士垂詢。3d 打印機，歡迎各界人士垂詢。



# SHIPPING

