

Hight 00 000 000 000 00 00, AU H03



Table Specifications:

Table Model	AU H03 Table Model
Material	Table + Table EPS, Table Table Table Table Table Table Table
Table	Table
Table	CE (EN 1384 Table)
Table/Table Table	Table: 52, 53, 54, 55, 56, 57, 58, 59, 60, 61;
Table	Table Table Table Table Table
Table	Table
Table Table	3-7 Table Table
MOQ	500 PC
Table Table Table	Table Table: Table Table Table Table Table Table Table: 9 Pc / Table Table Table: 53.5 67.5 ** 32 CM

Table Table Table Table:

- Table Table: Table Table Table, Table Table, Table Table Table Table.
- Table-Table Table Table ABS Table Table.
- Table EPS Table Table Table Table Table
- Table-Table: Table Table Table Table Table; Table Table Table; Table Table Table Table;
- Table: CE EN1384 VG1 Table Table Table Table.

Table Table Table Table Table:







Packaging :

Quantity : 9 Pc
Dimensions : 67 * * 31.5 52.5 CM
Weight : 4.50 kg
Material : 1pc/PP with mesh, 9 Pc

Product Features :

Lightweight:
The helmet is designed to be lightweight and comfortable for the user.

Adjustable:
The helmet has an adjustable chin strap and padding to fit different headforms.

Comfortable:
The helmet is designed to be comfortable and breathable, with mesh ventilation.



CERTIFICATE / AUTHENTICATION



□□□ □□ □□□ □□:

□□ □□ → PC □□ □□ → PC □□□ □□ → □□□□ □□ □□ → □□ □□ □□□□ EPS □□ → EPS-□□ □□ → □ □□□ □□ → □□ □□ → □□ □
 □ → □□ □□ □□ → □□ □□□ □□ □□ → IQC □□ → □□, □ □ → □□□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□□□ → □□ → □ □ → □□
 □□ □□□□.



□ □□□ □□?

-□□ □□ □□□ □□□□.

□□: □□ □□ □ □□□ □□ □□ □□□□□

OEM □ ODM: □□□□ □□□ □ □ OEM □ ODM □□□□ □□□ □ □□□□

R & D □: □□□□ □ □□□ □□ □□ □□ □□

□□: □□□□ □□□□ □□□□, □□ □□□ □□ □

□□: □□ □□ □□ □□

□□□: □□□□, □□□□ □□ □ □□

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP



SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

