

Troxel **□□ □□, □□ □□□ h01-□□ □□□ □□**



特点：

- 特点：ABS 塑料，黑色，重量轻。
- 特点：ABS 塑料。
- 特点：EPS 塑料。
- 特点：符合 CE EN1384 VG1 标准。

特点 best 特点：

特点	AU H01-
特点	ABS + EPS, 黑色, 重量轻
特点	ABS, PU
特点	CE (VG1 01.040 2014-12)
特点/特点	特点: 52,53,54,55,56,57,58,59,60,61;
特点	特点 特点 特点 特点
特点	特点
特点 特点	3-7 特点

MOQ	500 PC
	□□ □□: □ □□ □□ □□□ □ □□
□□ □□ □□	□□ □□: 9 pc□ / □□□ □□ □□: 67.5 * 32 * 53.5 CM

□□ □□ □□ □□ □□:

















Packaging

9 pcs/box

Box size: 67 * 31.5 * 52.5 cm

Weight: 4.50 kg

Box content: 1PCS/PP box with 1pc, 1pc box 9 PC

Box size: 67 * 31.5 * 52.5 cm

Box Headform:


Box Headform: 1PCS/PP box with 1pc, 1pc box 9 PC

Box headform:

Box headform: 1PCS/PP box with 1pc, 1pc box 9 PC

Box headform:

Box headform: 1PCS/PP box with 1pc, 1pc box 9 PC



Our In-house Testing Lab



□□:□□

□□□ □□□ □□□: □□□ ISO9001, □□ □□, CE □□, □□□ □□□ □□□ □□ □□□ □□ □□ □□ □□ □□ □□ □□ □□

CERTIFICATE / AUTHENTICATION



□□ □□ □□□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□□ □□□ □□ → □□ □□ □□□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□□ → □□ □□ → □ □
 □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □ □ → □□□
 □ □□□□.



□ □□□ □□?

---□□□ □□□ □□ □□ □□ □□

□□: □□□ □□ □□ □□□ □ □□ □□□□

OEM & ODM: □□□ □□□ □ □ OEM □ ODM □□□□ □□□ □ □□□□

R & D □: □□□□ □ □□□ □□ □□ □□ □□

□□: □□□ □□ □□□ □□□□ □□□ □□ □ □

□□: □□□□□ □□ □□ □□ □□

□□□: □□ □ □□ □ □□□, □□□ □□ □□□

With strict quality management system and first-class products

We can provide OEM and ODM service for customers

With professional and strong technical development team

We have our own
production line, to reduce
the price to a minimum

We constantly
introduce patented
technology products

Perfect after-sales service, so customer satisfaction

[illegible]

Turn your idea into a custom concrete product!



11

00 00000, 00 00 0 00 000 00 00 0 0 00 0 00! 0000 0000 0000 00 0000 0000 0000 0 00000 & 0000 0000 00 00 0000 0 0 0000
 0! 0000 00 00 00 0000 0000 00000 0000 00, 0000 00 0000 0000 00 00 0000 00 0000! 00 00 00 00 00 0000 00 00 00 00 0 0
 0!

11

