

□□□ □□ □□

- □□ □□: □□
- □□ □□ : 8
- □□: EPS
- □□: CE, CE, EN1078
- □□ (g) : 225g
- □: □□□, □□, □□, □□, □□□, □□, □□, □□
- □□: XS (45-50CM), S (50-55cm), M (54-58cm), XS (45-50CM), S (50-55cm), M (54-58cm)
- □□□: □□, □□ (□□)
- □□□: □□□
- □□ □□: AU-C06
- □□□: 1078 □□ □□ □□ EN □□ □□□□ □□□
- □□ □□: □ - □□ (□ □□)
- □□: 225g
- □□□ : 6 □□ □□
- □□□: □□□, □□□, □□□, □□, □□□
- □: Grossy
- OEM□ REQ□ MOQ : 500 □

□□ & A; □□

1078 □□ □□ □□ EN □□ □□□□ □□□

□□ □□ □□ : 1. PP □□, PVC □□; □□ □□, □□ □□ □ □□□ □□ □□□□ □□□□.

2. □□ □□

□□ □□ □□ : □□□□ 30 □□ □□ □□□ □□□□□

□□ □□

□□ □□ □□

□□□	1078 □□ □□ □□ EN □□ □□□□ □□□
□□:	XS (45-50CM), S (50-55cm), M (54-58cm)
□	□□□, □□, □□, □□
□□	PC-□ EPS- □□
□□□	500 PCS
□□	CE EN 1078

□□ □ □□□ □□

□□ □□ □□	□□□ □□□ □□ □□
□□ □□ □□	10 ~ 15 □ □□□ □□□ □□
□□ □□ □□	□□□ 1.5 □
□□□ □□ □□	□□ □□

□□ □□

□□□ □□ T/T







0000, 000 00 & A 000; 0 00 24 0 00 000 00 000 00. 000 000 R & A0 00 0 0 00 000 0000 00 000 00 00 0000 00
0 00 000 0000 000 0 0000; D support.We 0000 00 00 0000 0000 0000 000 0000 00 00 00 00 0000 00, 00 0000 00
0000 00, 00 00 0000, 0000 00, 00 0000 00 00, 0000 00000 00 00 00 00000 00 00 00 0 0 0000.

NYLON WEBBING					
	PLA2001	PLA2135	PLA2008	PLA2057	PLA2191
	PLA2081	PLA2020	PLA2242	PLA2179	PLA2106
PLA2051	PLA2012	PLA2148	PLA2304	PLA2204	
PLA2034	PLA2041	PLA2273	PLA3880		

					LOGO STICKER

LINING						
	PLA6000	PLA6010-10	PLA6211-02	PLA6325-08	PLA6317	PLA6520

DIVIDER (1)						
	-111	-36	-116	-119	-00	-120
DIVIDER (2)						
	-01	-07	-107	-114	-36	-111
	-116	-106	-117	-113	-105	-110
-00	-115	-109	-112	-104		

	-114		-36		-107		-07		-106		-01
	-113		-104		-117		-115		-116		-00
	-112		-111		-109						
STRAP BUCKLE											

BUCKLE						
	-105	-106	-01	-107	-07	-114
-110	-104	-116	-117	-106	-112	
-115	-111	-00	-109	ITW	MAGNET	

SIZE ADJUSTMENT					
	PLA5022	PLA5073	PLA5285	PLA5406	PLA5663
PLA5058	PLA5127-00	PLA5127	PLA5388-13	PLA5388-01	

					VISOR
PLA1213-00	PLA1213	PLA0481-18	PLA0481	PLA0083-09	
PLA0267	PLA0267-07	PLA0872A	PLA0872-113	PLA0083	

□□ Headform :

□□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□□□ □□□□□.

□□ headform :

□□ headform □□□ □□□ □□□ □□□ □□ □ □ □□ □□□ □□ □□ □□□□□□.

□□□ headform :

□□□ □□□ □□□ condierably □ □□□ □□□ □□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



<p>European Headform</p> <p>An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.</p>	<p>Generic headform</p> <p>A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.</p>	<p>Asian headform</p> <p>A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

□□ □□

□□ □□□ □□□ □□□ 2012 □□ 22 □ □□□ □□□ □□□□□.

□□ □□□ □□□ □□ □□□ □□□ □□.

□□□ □□, □□□□ □□, □□ □□□ □□□ □□□ □□ □ □□ □□ □□□ □□ □ □□□□.

OEM □ ODM □□□□ □□□□. □□□□ □□ □ R & A, D □□ □□ □□□ □□ □ □□ □□□□ □□□□□.

99 %□ □□ □ □□□ □□ □□□ □□□, □□□, □□□, □□ □□□□

□□□□ □□□ □□□□ □□□□ □□□ □□ □□□ □□□ □□ □□□□ □□ □□□□.

□□□ □□□□ □□□ □□ □ □□□ □□ □□□ □□□ □□. □□ □□ □□□□ □□ □□□ □□

□□□ □ □□□□ □□□ □□ □□ □□□□□ : <http://www.helmetsupplier.com>

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

本公司生產之安全頭盔，均符合國際安全標準，包括 EN1078, EN397, EN12492, CPSC 等。本公司產品均經過嚴格之品質檢驗，確保產品之安全與耐用。本公司產品之品質，已獲得全球客戶之肯定與讚賞。本公司產品之品質，已獲得全球客戶之肯定與讚賞。本公司產品之品質，已獲得全球客戶之肯定與讚賞。

Our In-house Testing Lab



Our in-house testing lab is equipped with advanced equipment for comprehensive product testing. We offer a wide range of services, including impact testing, vibration testing, and environmental testing. Our experienced technicians provide expert assistance throughout the testing process. Make your product testing a success with Aurora!

SHIPPING



□ □□□ □□?

---- □□□ □□ □□□ □□□ □□ □□□

□□ : □□□ □□ □□ □□□ □ □□ □□

OEM & A, ODM : □□□ □□□□□□ OEM □ ODM □□□□ □□ □ □ □□□□

R & A, D □ : □□□□□ □□□ □□ □□ □□ □□

□□ : □□□ □□□□□ □□□ □□□ □□, □□ □□□ □□ □□□ □□□

□□ : □□□ □□□□□ □□ □□□ □□□ □□

□□□ : □□□ □□□ □□□, □□□ □□ □□