

3 LED





□□ □□□ □□□ □□□ □□:

1. 3D □□ □□ □□, □□ □, 210 g□ □□□ □□□ □□□.

2. 3 □□ □□ □□□:□ □□□□ □□ □□ □□□ □□□ □□□ □□, □□□□ □□□□ □□ □□□ 3D □□.

-EPS + PC □ □□ □□.

-360 ° □□ □□ □□□, anti-slip □□ □□, □□□ □□□□ □□□ □□□ □, LED □□, □ □□□ □□ □□, □□□ □□ □□□ □□ □□ □□ □□.

-□□□□: □ □ □□□ □□□, □□ wicking □□ □□□ □□, ITW □□ □□ □□□ □□□.

-□□: CE EN1078

□ □ □ □□ □□□ □□□ □□□ □□:

材料: PC
 包装: 泡沫 EPS
 尺寸: M 49-55 CM;
 重量: 210 g
 颜色: 白色
 备注: Heading 白色, 泡沫 EPS, 7 个装 白色 泡沫 EPS 包装。

规格 尺寸 重量 颜色 备注:

材料	AU c 02 白色 泡沫 EPS
包装	泡沫 EPS 包装 & PC 板
标准	CE EN1078
数量	6 个装
颜色	Pantone, 白色
尺寸/长度	M 49-55 CM
重量	210 g
数量	7 个
MOQ	300pcs
包装 尺寸 重量	PP 泡沫 + 泡沫 EPS 包装 + mastercarton

规格 尺寸 重量 颜色 备注:



AURORA
100% HEAD PROTECTION



Top Quality

www.helmetsupplier.com





AURORA
100% HEAD PROTECTION

Top Quality



www.helmetsupplier.com













☐☐ Packagaing

☐☐ ☐☐☐: 12 ☐☐☐/☐☐

☐☐☐☐☐☐: 73 X 58 X 35 cm

☐☐☐☐: 6.50 kg

☐☐☐☐☐☐: 1PCS/PP wth ☐☐☐, ☐☐☐☐☐☐ ☐ 12 PC





□□ □□□ □□ **3** □□ □□ □□ □□□ □□:

□□ **headform:**

□□□ □□□ □□□ □□ □□ □□□ □□ □ □ □□ □□.


□□ **headform:**

□□ □□ □□□ □□ □ □-□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ condierably □□□ □□□ □□□ □ □ □□ □□□ □□

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □:

□□ □ □□□ □□ (□□, □□ □□□, □□ □□ □) □□□ □□ □□□□□ □□□ □□ □ □□, □□□ □□ □ □ □□ □□ □□ □□□□ □□ □□□.

Our In-house Testing Lab



□□:

□□□ □□□ □□□: ISO9001, □□, □□, □□□□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.




□□□ □□:

□□□ □□ 3D □□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC□ □□□ □□ → □□□□ □□□ □□ → □□ □□ □□ EPS□ □ □□ → □□-□□ EPS → □ □□ □□ □□□ → □□□ □□
 □ → -□□ □□ → □□□ □□ □□ → □□ □□ □ □□ □□ → IQC □□ → □□□ □ □ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □
 □ → □ □ → □□ □□□□□.

Production Procedure



□ □□:

□ □□ □□□ □□□□.

-□□: □□□ □□ □□ □□□ □ □□ □□□□

-OEM & ODM: □□□ □□□ □ □□ OEM □ ODM □□□□ □□□ □ □□□□

-R & D □: □□□ □□ □ □ □□ □□ □□□

-□□: □□□ □□ □□□ □□□ □□ □□□ □□ □□

-□□: □□□□□ □□ □□ □□ □□

-□□□: □□ □ □□ □ □□□, □□□□ □□ □□□

SHIPPING

