

□□□□ □□□ □□ □□ □□□ □□, □□ □ **MTB □□ AU-C06**



□□□ □□□ □□ □□ □□□ □□:

☐☐ ☐☐	AU-C06 ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐
☐☐	- ☐☐ EPS ☐☐☐ & A; PC ☐
☐☐	CE EN1078 ☐☐ ☐☐☐ ☐☐
☐☐	13 ☐☐☐
☐	☐☐, ☐☐☐ ☐☐
☐☐ / ☐☐ ☐☐	S : 45-50cm; M : 50-55cm; L : 54-58
☐☐	225g
☐☐ ☐☐	7 ☐
MOQ	300PCS
☐☐☐☐ ☐☐ ☐☐	PP ☐☐ + ☐☐ ☐☐ ☐☐ ☐☐ + mastercarton

[illegible]

- [illegible]

4. חתך EPS, חתך, חתך, חתך, חתך.
- חתך (5). חתך PA, חתך חתך חתך.
6. חתך חתך חתך חתך חתך חתך חתך.
7. חתך : CE-EN1078 חתך חתך חתך חתך.

חתך חתך חתך חתך חתך חתך חתך :













Packaging

12 / : 0 0

: 73X58X35 cm

: 6.50 kg

: 1PCS / PP WTH , PER 12 PCS





□ □□ □□ □□ □□ □ **MTB** □□ :

□□ **Headform** :

□□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□□□ □□□□□.

□□ **headform** :

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□ □□ □□□□□□.

□□□ **headform** :

□□□ □□□ □□□ condierably □ □□□ □□□□ □□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Figure 1 :

Figure 1 shows the three types of helmet shapes (Oval, Generic, Round) and their corresponding headform dimensions. The Oval helmet is designed for a rider's head with a dimension which is considerably fit for Europeans. The Generic helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement. The Round helmet is designed for a rider's head with a dimension which is considerably fit for Asians.



□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □□□ □□ □□□ □□ □□□ □□□□□□

1



公司 已

公司 已於 15 日 開始 與 該 公司 合作。 該 公司 R & A, 該 公司 D, 該 公司 已 與 該 公司 合作 該 公司 已 與 該 公司 合作 該 公司 已 與 該 公司 合作。

□□□ & A; □□□

በህግ አንቀጽ ፩ (፩) ስር የተገለጸው የፌዴራል ፖሊስ ማህበራዊ ሚዲያዎችን በመጠቀም የሕግ ምርመራና የሕግ ፍጻሜ ማረጋገጫ ስራዎችን በፍጥነት እና በፍጥነት ያከናውናል፡፡

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □
 □ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□
 □□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

11

