

□□□ □□□ □□□ □□, CE □□□ □□□ □□, □□□□□□□□



□□ □□□ □□□ □□□ □□:

1. □□□, 235 g□□ □□□ □□□ □□□
2. 3 □□ □□ □□□:□ □□□□ □□ □□ □□□ □□□ □□ □□, □□ □□, □□□□ □□ □ □□,
3. □□ □□: □□□ □ □□ □□, □□ □□□ □□ □□ □ □,
4. □□□ PC □□
5. □□ EPS □□□ □□□□ □□

6. 印刷材料: 印刷材料 印刷材料 印刷材料; 印刷材料 印刷材料; 印刷材料 印刷材料;

7. 印刷: CE EN1078 印刷材料 印刷材料

印刷材料 印刷材料 印刷材料 印刷材料:

印刷材料: PC

印刷材料: 印刷材料 EPS

印刷材料: M/L 54-61 CM;

印刷材料: 235 g

印刷材料: 印刷材料

印刷材料: Heading 印刷材料, 印刷材料 印刷材料, 印刷材料 印刷材料 印刷材料 印刷材料 印刷材料 印刷材料.

印刷材料 印刷材料 印刷材料 印刷材料:

印刷材料	AU B32 印刷材料 印刷材料
印刷材料	印刷材料 EPS 印刷材料 & PC 印刷材料
印刷材料	CE EN1078
印刷材料	19 印刷材料 印刷材料
印刷材料	Pantone, 印刷材料 印刷材料
印刷材料/印刷材料 印刷材料	M/L 54-61 CM
印刷材料	235 g
印刷材料 印刷材料	7 印刷材料
MOQ	300pcs
印刷材料 印刷材料 印刷材料	PP 印刷材料 + 印刷材料 印刷材料 印刷材料 + mastercarton

印刷材料 印刷材料 印刷材料 印刷材料 印刷材料:











☐☐ Packagaing

☐☐ ☐☐: 12 ☐☐/☐☐

☐☐☐☐ ☐☐: 73 X 58 X 35 cm

☐☐☐☐: 6.50 kg

☐☐☐☐☐☐: 1PCS/PP wth ☐☐☐, ☐☐☐☐☐☐ ☐ 12 PC





□□ □□□ □□ □□□ □□ □□:

□□ **headform:**

□□□ □□□ □□□ □□ □□ □□□ □□ □ □□ □□.

□□ **headform:**

□□ □□ □□□ □□ □ □-□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ condierably □□□ □□□ □□□ □ □ □□ □□□ □□

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □:

□□ □ □□□ □□ (□□, □□ □□□, □□ □□ □) □□□ □□ □□□□□ □□□ □□ □ □□, □□□ □□ □ □ □□ □□ □□ □□□□ □□ □□□.

Our In-house Testing Lab



□□:

□□□ □□□ □□□: ISO9001, □□, □□, □□□□□ □□ □□□ □□□ □□ □□ □□□ □□ □□□ □□ □□□ □□ □□□ □□□ □□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.




□□□ □□:

□□□ □□ □□□ □□:

□□ □□ → PC □□ □□ → PC□ □□□ □□ → □□□□ □□□ □□ → □□ □□ □□ EPS□ □ □□ → □□-□□ EPS → □ □□ □□ □□□ → □□□ □□
 □ → -□□ □□ → □□□ □□ □□ → □□ □□ □ □□ □□ → IQC □□ → □□□ □ □ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □
 □ → □ □ → □□ □□□□□.

Production Procedure



□ □□:

□ □□ □□□ □□□□.

-□□: □□□ □□ □□ □□□ □ □□ □□□□

-OEM & ODM: □□□ □□□ □ □□ OEM □ ODM □□□□ □□□ □ □□□□

-R & D □: □□□ □□ □ □ □□ □□ □□□

-□□: □□□ □□ □□□ □□□ □□ □□□ □□ □□

-□□: □□□□□ □□ □□ □□ □□

-□□□: □□ □ □□ □ □□□, □□□□ □□ □□□



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

☐☐ ☐☐:

☐☐ ☐☐ ☐☐ ☐☐ ☐☐☐☐ ☐☐ ☐☐☐☐☐: DHL, UPS, ☐☐☐ ☐☐☐☐☐, TNT, EMS ☐☐ ☐☐☐ ☐☐☐ ☐☐☐ ☐☐☐☐☐.

SHIPPING

