

44 cm AU C04



Technical specifications:

Model	AU C04
Material	EPS & PC
Weight	195 g
Size	S:(45-50CM), M: (52-57), L:(55-61)
Color	Pantone, Blue
Light	LED
Certification	CE EN1078
Vents	6

色 号	7 号
MOQ	300pcs
包装 方式	PP 箱 + 泡沫 内衬 箱 + mastercarton

产品 特点 如下:

1. 重量 约 205 g, 轻便 耐用
2. PC 壳 体 强度高 且 重量轻
3. 内部 填充 EPS 泡沫, 缓冲 性能 好, 保护 头部
4. 透气 孔 设计, 保持 头部 凉爽, 舒适
5. 调节 方便, 适合 不同 头围
6. 认证: CE EN1078 安全 标准

包装 规格 如下:











Packaging

Quantity: 12 pieces

Dimensions: 73 X 58 X 35 cm

Weight: 6.50 kg

Contents: 1PCS/PP box with 12 pieces, 12 PC





□□ □□ □□ □□ □□ □□:

□□ **Headform:**

□□□ □□□ □□□ □□ □□ □□□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ headform □□□ □□□□ □□ □□ □-□□ □□□-□-□□□ □□ □□□ □□□ □ □ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ A □□ condierably □□□□ □□□ □ □ □□ □□□□□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is condierably fit for Asians.

□□□ □□□ □:

□□ □□□ □□ (□□, □□ □□□, □□ □□ □....) □□□ □□ □□□□□ □□□ □□□ □□□ □□, □□□ □□ □ □□ □□ □□ □□ □□ □□□.

Our In-house Testing Lab



□□:

□□□ □□□ □□□: □□□ ISO9001, □□ □□, CE □□, □□□ □□□ □□□ □□ □□□ □□ □□□ □□ □□ □□□ □□ □□□ □□□ □□□

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal.



□□ □□:

□□ □□ □□ □□:

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ EPS □□ → EPS □ □□ □□ → □□ □ □□ □□ → □□ □□ → □ □ □ □□ → □□ □□ □□ → □□ □ □□ □□ → IQC □□ → □ □ □□ → □□ □□ □□ → □□□□ □□ □□□ → □□ □□ → □□ □□ → □□ → □ □ → □□□□ □□□□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing process



semi-finished In-mold helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□:

□□, □□□ □□□□ □□ □ □□ □□□□: DHL, TNT, UPS, □□□ □□□□□, EMS □□ □□□ □... □□ □□ □□□ □ □□□□.

SHIPPING

