

□□ □□ □□

- □□ □□: □□ □
- □□□: < 8
- □□: EPS
- □□: □ □, □ □, EN1078
- □□ (g): 225 g
- □: □□□, □□, □□, □□, □□□, □□, □□, □□
- □□: XS(45-50CM), S(50-55cm), M(54-58cm), XS(45-50CM), S(50-55cm), M(54-58cm)
- □□□ □□: □ □, □□ (□□)
- □□□ □□: □□□
- □□ □□: AU-C06
- □□ □□: □□ □□ EN 1078 □□□ □□□ □□□ □ □ □□□
- □□: □□ (1 □□)
- □□: 225 g
- □□: 6 □□ □□□
- □□□: □□□, □□□, □□□ □□, □□, □□□
- □: Grossy
- MOQ □ OEM □□□: 500 pc

□□ □ □□

□□ □□ EN 1078 □□□ □□□ □□□ □ □ □□□
 □□ □□ □□: 1. PP □ □, PVC □ □; □□ □□, □□ □□ □ □□□ □□ □□□ □□□□.
 2. □□ □□
 □□ □□ □□: □□□□□ 30 □,□□ □□ □□ □□

□□ □□

□□ □□ □□

□□ □□ □□ □□ EN 1078 □□□ □□□ □□□ □ □ □□□
 □□: XS(45-50CM), S(50-55cm), M(54-58cm)
 □ □□□, □□, □□, □□
 □□ PC-□
 EPS □□
 MOQ 500 PC
 □□ □□ EN 1078

□□ □ □□ □□ □□

□□ □□ □□	□□□ □□□ □□
□□ □□ □□	10-15 □ □ □□ □□

000 00 00	00 00 00 000 1.5 0
000 00 00	3 0 00
00 00	000 00 T/T







□□□□

CERTIFICATE

