

ჰელმეტები, HJC ჰელმეტები SV888



ჰელმეტის მთავარი მახასიათებლები :

- ჰელმეტის ტიპი : ჰელმეტის შიგნითი ნაწილი EPS ფორმის მასალისგან შედგება. ჰელმეტის შიგნითი ნაწილი ფორმის მასალისგან შედგება.
- ჰელმეტის შიგნითი ნაწილი ფორმის მასალისგან შედგება, ფორმის მასალისგან.
- 3 ჰელმეტის შიგნითი ნაწილი ფორმის მასალისგან შედგება, ფორმის მასალისგან.
- - ჰელმეტის, მასალისგან, ჰელმეტის მასალისგან.
- ჰელმეტის მასალისგან PC მასალისგან.

- 鋼殼 鋼 EPS 鋼殼 鋼殼 鋼,
- 鋼殼 鋼殼 : 鋼 鋼殼 鋼 鋼 鋼 ; 鋼 鋼 鋼; 鋼 鋼 鋼殼 鋼 鋼;
- 鋼 : CE-EN1078 鋼 鋼殼 鋼 鋼.

鋼殼 鋼 鋼 鋼 鋼:


鋼 鋼	AU-SV888
鋼	EPS (鋼 鋼殼) + PC (鋼 鋼殼) 鋼 + 鋼 鋼 鋼 鋼 鋼
鋼	CE EN1078
鋼	30 鋼
鋼	鋼, 鋼 鋼
鋼 / 鋼 鋼	S / M (54-58CM) M / L (58-62CM)
鋼	240g
鋼 鋼	7 鋼
MOQ	300PCS
鋼殼 鋼 鋼	PP 鋼 + 鋼 鋼 鋼 鋼 + mastercarton

鋼 鋼 鋼 鋼 鋼 鋼 鋼:











Buckle Options



ITW standard helmet buckle



Traditional helmet buckle



Patent self-developed magnetic buckle



Fidlock magnetic buckle



We can also customize various colors buckle.

Female Parts Options To Anchor Strap



M001



M002



M003



M004



M005

Strap Buckle And Divider Options



Z001



Z002



Z003



Z004



Z005



F001



F002



F003



F004

We can also customize various colors buckle.



23 R & A D, & A; Y, LED, highlights. We A & A;

Adjustment System Options



A001



A002



A003



A004



A005



A006



A007



A008



A009



A010



A011



A012

Female Parts Options To Anchor Adjuster




T001



T002



T003



T004



T005



T006

00 00 00 000 00 00.

EVA 00 : 000, 0 000 00 0 000 00 00000.

00 00 : 000 000 00 00 00 0000 00 000 00 00 0 0000.

0000 00 : 00 0 00 000 0 0000 00.

00 00 : 00 0000 000 00.

0 00 00 : 00 00 00, 00 00 0000 000 000 000 0 0000.

00 00 00 : 00 0000 000 000 00 0 00.


Inner Padding Fabric Options



EVA pads



Mesh pads



Nylon pads



Velvet pads



Cool max pads



Low quality pads

□□ □ :

1. □□ □□ □□ □□ □□ □□ □□ □

Carbon fiber helmet mold in vacuum forming



2. Autoclave () () ()

Autoclave Processing (Vacuum bagged)




□ □ □ :



UD Tow



12k Tow



3k Tow



1k Tow



Spread Tow

□ □□ □□ □□ □□ □□ □□:

□□ **Headform** :

□□□ □□□ □□□ □□ □□ □□□ □□□ □□ □□ □□□□□□ □□□□□.

□□ **headform** :

□□ headform □□□ □□□□ □□□ □□□ □□ □ □□□ □□□□ □□ □□ □□□□□□.

□□□ **headform** :

□□□ □□□ □□□ condierably □ □□□ □□□□ □□ □□ □□□□□□ □□□ □□ □□.

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Page 1 of 1

[illegible]



品質 保証事項 : ISO9001, CE 認証 取得, 製品 寿命 10 年 以上 保証 あり 製品 保証 期間 10 年 以上 保証 あり

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



PC 1000 1000 1000 :

PC 1000 → PC 1000 → PC 1000 → PC 1000 → PC 1000 → EPS 1000 → EPS - 1000 → PC 1000 → PC 1000 → - 1000
 PC 1000 → PC 1000 → PC 1000 → IQC 1000 → PC 1000 → PC 1000 → PC 1000 → PC 1000 → PC 1000 → PC 1000 → PC 1000
 PC 1000.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters