□□□ □□□ □□ □□□□ □□ Suppiler

□□ □□

1.□ □□□ PC □, □□ □□□ □□ □ □□□.
2. □□□ □□□ EPS □□, □□, □□□, □□□□ □□□ □□□□.
□□□□ □□, PA □□, □ □□ 3..
4. □□□ □□ □□ □□ □□□ □□□ □□□□.

□□ □□ □□

□	□□	□□ □□
1. □□ □□	□ □□	□ □□
2.ModelNumber	AU-H0**(7)**	
3. □□	ABS + EPS	□□□ □□, □□□ □ □ □ ITW □□ □□, □□ □□, headkey - headring.EPS □□ □□; □□ □□ □□
4.Technology	□□	
5.Color	□□, □□	□□ pantone □□
6.Size	S : 50-56CM, M : 55-59CM, L : 58-61CM	□□ □□ □□
7.Logo	□□□ □□, □□ □□, □ □□, □.	
8. MOQ	500 PCS□	□ □□ 300PCS □□ □□
9. □□	Size73 * 58 * 35CM	
10.Packing	12PCS / CTN	10PCS □□□ CTN
11.Price □□	□□ □□	
12.Shipping □□	□□ □□ airexpress□	
(13) □□	PaypalT / T, □□ □ □□□, L / C	
14.Sample □□	4~7□	□□□ □□ □□ □□□□□ □
15.Production □ □ □□	20~30□	□□ □□ □ □□ □□ □□, □□ □□ □□□ □□

□□ □□

□□□□, □□□ □□ & A □□□; □ □□ 24 □ □□ □□ □□ □□□ □□ □□□ □□. □□ □□ □□□ □□ troxel □□ □□□ □□□□ □□□ □□□ □□□ R & A□ □□ □ □ □□ □□□ □□□ □□□□ □□□ □ □ □□□□; D support.We □□□ □□ □□ □□□ □□□ □□□ □□□ □□ □□□□ □□ □□ □□ □□ □□□ □□, □□ □□□ □□□ □□ □□□, □□ □□ □□□, □□□ □□, □□ □□□ □□ □□, □□□ □□□□ □□ □□ □□ □□ □□□□ □□ □□ □□ □ □ □□□□.

NYLON WEBBING
PLA2001
PLA2135
PLA2008
PLA2057
PLA2191
PLA2081
PLA2020
PLA2242
PLA2179
PLA2106
PLA2051
PLA2012
PLA2148
PLA2304
PLA2204
PLA2034
PLA2041
PLA2273
PLA3880
AURORA
LOGO STICKER
LINING
PLA6000
PLA6010-10
PLA6211-02
PLA6325-08
PLA6317
PLA6520
DIVIDER (1)
-111
-36
-116
-119
-00
-120
DIVIDER (2)
-01
-07
-107
-114
-36
-111
-116
-106
-117
-113
-105
-110
-00
-115
-109
-112
-104
STRAP BUCKLE
-114
-36
-107
-07
-106
-01
-113
-104
-117
-115
-116
-00
-112
-111
-109
BUCKLE
-105
-106
-01
-107
-07
-114
-110
-104
-116
-117
-106
-112
-115
-111
-00
-109
ITW
MAGNET
SIZE ADJUSTMENT
PLA5022
PLA5073
PLA5285
PLA5406
PLA5663
PLA5058
PLA5127-00
PLA5127
PLA5388-13
PLA5388-01
VISOR
PLA1213-00
PLA1213
PLA0481-18
PLA0481
PLA0083-09
PLA0267
PLA0267-07
PLA0872A
PLA0872-113
PLA0083

□□ & A; □□

12 □□ / □□ : □□ □ □□

□□□ □□ : 73X58X35 cm

□ □□ : 6.50 kg

□□□ □□ : 1PCS / PP □□ WTH □□ □□, □□ □□ PER 12 PCS



□□ □□□ □□□□ □□ □□□ □□□□ □□ □□ □□□ □□□ □□□□□, □□□ □□□ □□□ □□□ □□ □□□ □□ □□ □□□ □□□□□□! □□□ □□ □ □□ □□ □□ □□□ □□ EN1078, EN397, EN12492, CPSC □ □□ □□ □□□ □□ □□□□. □□□ □□ □□ □□ □□ □□ □□□ □□□ □□, □□□ □□□ □□ & A□ □□; □□□ □□□ □□□ □□□□□□!

□□□ □ A; □□

INNER HOUSE TESTING
AURORA
Testing Procedures
The Impact force detected
25° min.
45° min.
L
K
Reference plane
Basic plane
F
Field of Vision Testing
Every manufacturing steps at AURORA follows adhere to strict quality parameters and focus on quality throughout the each stagesinvolved. All raw material and semi finished goods at AURORA pass strict quality control.
The finished product, helmets at Aurora is then tested and qualified to export to the world.
Static Stability Testing
Head type detection
Head Circumference Testing
Conditioning Tests
Shock Absorbing Capacity
dynamic strength test

□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

CERTIFICATE / AUTHENTICATION

□□□ □□ □□□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance.Make □□□ □□ □□□ □□ & A; □□!

PAYMENT AND SHIPPING

PAYMENT

- We accept T/T ,Western Union or Paypal before production
- If buyers have any problems about payment , please contact us ASAP

SHIPPING

- 3-15 working days since payment receipt (based on actual quantity)
- Tracking No. will be sent to you after delivery . And you will get every important shipping status by email.

□□□ □□□ □□□ □□ □□□ □□□ 15 □ □□□ □□□ □□ □□ □□ □□□□□. □□ □□□□ R & A, □□ □□□ D □, □□□ □□□ □□□ □□□□ □□ □□□ □ □□□ □□□ □□ □□□ □□□□ □□ □□□□ □ □□□□□ □□ □ □□□□.