

fasion 鋼鋼鋼鋼鋼鋼, 鋼鋼鋼鋼鋼鋼鋼鋼, 鋼鋼鋼鋼鋼鋼鋼



鋼鋼鋼鋼鋼鋼鋼鋼：

1. 鋼鋼鋼鋼鋼鋼, 205 g鋼鋼鋼鋼鋼鋼
2. 3 鋼鋼鋼鋼鋼鋼:鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼鋼, 鋼鋼鋼鋼, 鋼鋼鋼鋼鋼鋼鋼鋼,
3. 鋼鋼鋼鋼鋼鋼
4. 鋼鋼 PVC 鋼鋼
5. 鋼鋼 EPS 鋼鋼鋼鋼鋼鋼鋼鋼

6. 3-6

: PVC
 : EPS
 : M 52-57 CM;
 : 205 g
 :
 : Heading , , , .

	AU c 02
	-EPS & PVC
	CE EN1078
	6
	Pantone,
	M 52-57 CM
	205 g
	7
MOQ	300pcs
	PP + + mastercarton











☐☐ Packagaing

☐☐ ☐ ☐☐: 12 ☐ ☐☐/☐☐

☐☐☐ ☐☐: 73 X 58 X 35 cm

☐ ☐☐: 6.50 kg

☐☐☐ ☐☐: 1PCS/PP wth ☐ ☐☐, ☐☐☐ ☐☐ ☐ 12 PC





□□ □□□ □□ □□ □□□ □□ □□:

□□ **headform:**

□□□ □□□ □□□ □□□ □□ □□□ □□□ □ □ □□ □□.

□□ **headform:**

□□ □□ □□□ □□ □ □-□□ □□□ □□□ □□□ □□□ □□ □□ □□□□□.

□□□ **headform:**

□□□ □□□ □□ condierably□ □□□ □□□ □□□ □ □ □□ □□□ □□

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Helmet Size Chart:

Helmet size is determined by head circumference (inches, centimeters, or millimeters). To determine your helmet size, measure your head circumference with a tape measure, and then refer to the chart below.

Our In-house Testing Lab



☐☐:

☐☐☐ ☐☐☐ ☐☐☐: ISO9001, ☐☐, ☐☐, ☐☐☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐☐ ☐☐☐ ☐☐☐

1

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



客户名称:

客户地址:

客户名称 → PC 客户名称 → PC 客户名称 → 客户名称 → 客户名称 EPS 客户名称 → 客户名称 EPS → 客户名称 → 客户名称
 客户名称 → 客户名称 → 客户名称 → 客户名称 → IQC 客户名称 → 客户名称 → 客户名称 → 客户名称 → 客户名称 → 客户名称
 客户名称 → 客户名称 → 客户名称.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □ □:

□ □ □ □ □ □ □ □.

-□□: □□ □ □ □ □ □ □ □ □ □ □

-OEM & ODM: □□ □□ □ □ OEM □ ODM □□□ □□ □ □□□

-R & D □: □□ □ □ □ □ □ □ □ □

-□□: □□ □ □ □ □ □ □ □ □ □ □ □ □

-□□: □□□□ □ □ □ □ □ □

-□□□: □ □ □ □ □ □ □ □ □ □ □ □ □ □

WHY US



QUALITY

With strict quality management system and first-class products



OEM&ODM

We can provide OEM and ODM service for customers



R&D TEAM

With professional and strong technical development team



PRICE

We have our own production line, to reduce the price to a minimum



PATENT

We constantly introduce patented technology products



SERVICE

Perfect after-sales service, so customer satisfaction

如何付款:

如何付款 我们接受 电汇 信用证: DHL, UPS, 快递 德邦, TNT, EMS 我们 接受 支票 电汇 信用证.

11

