



□□□ □□ □□□ □□ :

1. 重量 215 g, 重量 重量
2. 重量: 重量 重量 重量, 重量 重量 重量 重量 重量,
3. 重量 PC 重量 重量 重量 重量 重量.
4. 重量 重量 EPS 重量, 重量 重量, 重量 重量, 重量 重量 重量 重量 重量.
5. 重量 重量 重量, 重量 重量 重量 重量, 重量 重量.
6. 重量 重量 重量 重量 重量 重量.
7. 重量: CE EN1078 重量 重量 重量.

□□ □□□ □□□ □□:

Model	AU-C03
Material	EPS & PC
Standard	CE EN1078
Size	13
Color	Pantone, 100% color
Weight	S (47-52 CM), M (48-56 CM): 215 g
MOQ	300pcs
Package	PP + mastercarton

Model: AU-C03











□□ □□□ □□□ □□:

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.



Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.



Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

□□□ □□□ □:

Our In-house Testing Lab



Our In-house Testing Lab



CERTIFICATE



00 00:

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□ □ □ :

SHIPPING

