

חח חחחח חח. PA חח. ח חח (5).

6. תחת תחת תחת תחת תחת.

7. **□□ : CE-EN1078 □□ □□□□ □□.**

□ □□ □□ □□ □□ □□ □□ □□ □□ :

















We can also customize various colors buckle.

23 R & A 2000 D 2000 & A 2000 2000; 2000 2000 2000 & A 2000 2000!
 2000 2000, Y 2000 2000, LED 2000, 2000 2000, 2000 2000, 2000 2000 2000!
 2000, 2000 2000 2000 2000, 2000 2000 2000 2000
 2000 2000 2000 2000 2000 2000 2000 2000! 2000 2000 - 2000 2000 highlights.We 2000 2000 2000 2000 2000
 2000 2000 A; 2000 2000 & A 2000 2000 2000; 2000 2000 2000!

Adjustment System Options




A001



A002




A003




A004




A005



A006



A007



A008




A009



A010



A011



A012

00 00 00 000 00 00.

EVA 00 : 000, 0 000 00 0 000 00 00000.



00 00 : 000 000 00 00 00 0000 00 000 00 00 0 0 0000.






000 00 : 00 0 00 000 0 0000 00.

00 00 : 00 0000 000 00.

0 00 00 : 00 00 00, 00 00 0000 000 000 000 0 0000.

00 00 00 : 00 0000 000 000 00 0 00.

[illegible]



Headform :

headform :

headform :

condierably

Helmet Shape 101



European Headform

An Oval shaped helmet is designed for a rider's head with a dimension which is considerably fit for Europeans.

Generic headform

A generic headform helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement.

Asian headform

A Round shaped helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Figure 1 :

Figure 1 shows three helmet shapes (Oval, Generic, Round) designed for different head dimensions. The Oval helmet is designed for a rider's head with a dimension which is considerably fit for Europeans. The Generic helmet is designed for a rider's head with a dimension which is slightly longer front-to-back than its side-to-side measurement. The Round helmet is designed for a rider's head with a dimension which is considerably fit for Asians.

Our In-house Testing Lab



□□:

□□□ □□□□□□ : □□□ ISO9001, □□ □□, CE □□□ □□□, □□□ □□□ □□ □□□ □□ □ □□□ □□ □□□ □□□ □□ □□□ □□□□

1



□□□ & A; □□□

[illegible]

CUSTOMIZE FOR BRAND



Logo style: Dome, Metal, UV-Dart sticker, Water decal..



□□ □□ :

□□ □□ □□ □□ □□ :

□□ □□ → PC □□ □□ → PC □□ □□ → □□ □□ □□ → □□ □□ □□ □□ EPS □□ → EPS - □□ □□ → □□ □□ □□ → □□ □□ → - □
 □ □□ → □□ □□ □□ → □□□ - □□ □□ → IQC □□ → □□ □□ → □□ □□ □□ → □□□□ □□ □□ → □□ □□ → □□ □□ → □□ → □□ → □□
 □□□.

Production Procedure



Silk screen



PC blister tooling



PC blister manufacture



Trimming dug hole



Eps raw material
by different density



EPS in-mold tooling



Helmet in-mold workshop



In-mold machines



In-mold tooling



In-mold producing
process



semi-finished In-mold
helmet



IQC inspection



Helmet grinding



Inner padding production



Plastic injection
workshop



Assembly line



Inside labeling



Packing



Warehouse



Installed counters

□□ □□ :

□□□ □□ □□ □□□□ □□□□□. □□□ □□□ □□□□ □□□ □□□ □ □□□□. □□ □□ □ A□ □□□□□ □□; □□□ □□, □□□ □□ □□ □□ & A□ □□ □□□ □□; □ □□ □□□□. □□ □□ □□ & A□ □□□; □□ □□, □□□ □□□□ □□□ □□ & A□ □□ □ □ □□□□; assistance. Make □□□ □□ □□□ □□ & A; □□!

SHIPPING

